

## INDEX

SUMMARY .....	v
ZUSAMMENFASSUNG.....	vii
 <b>CHAPTER I: General Introduction .....</b>	 <b>1</b>
<b>1.1 RFO biosynthesis .....</b>	<b>5</b>
1.1.1 Galactinol synthase (GolS) catalyzes the formation of the RFO precursor Gol.....	6
1.1.2 Raffinose synthase (RafS) catalyzes the synthesis of the first RFO member .....	7
1.1.3 Stachyose synthase (StaS) catalyzes the synthesis of the second RFO member .....	8
1.1.4 Higher DP RFO are mainly synthesized <i>via</i> a Gol-independent pathway.....	9
 <b>1.2 RFO catabolism .....</b>	 <b>11</b>
1.2.1 RFO degradation starts with the hydrolytic action of $\alpha$ -D-galactosidases ( $\alpha$ Gals) .....	12
1.2.2 Galactokinase (GALK) phosphorylates free Gal produced by the degradation of Gal-containing compounds .....	16
1.2.3 Free Gal is toxic.....	17
1.2.4 The Gal salvage pathway continues .....	18
 <b>1.3 RFOs play a role in abiotic stress tolerance.....</b>	 <b>21</b>
1.3.1 Plants are frequently exposed to abiotic stress .....	21
1.3.2 RFOs accumulate during stress and may act as osmoprotectants.....	23
1.3.3 Cold stress involves molecular regulation and incudes RFO accumulation .....	25
1.3.4 Water deficit and salt stress may induce RFO accumulation.....	28
1.3.5 Other abiotic stress and RFO accumulation .....	29
 <b>1.4 RFOs play a role in carbon partitioning and storage.....</b>	 <b>31</b>
1.4.1 Transport RFOs move in the phloem from source to sink .....	31
1.4.2 Storage RFOs accumulate in the vacuole and can be easily mobilized.....	33
 <b>1.5 Aims of my thesis .....</b>	 <b>35</b>
 <b>CHAPTER II: Functional identification of Arabidopsis alkaline <math>\alpha</math>-galactosidases ATSIP1 (At1g55740) and ATSIP2 (At3g57520) .....</b>	 <b>37</b>
<b>2.1 Introduction.....</b>	<b>39</b>
 <b>2.2 Materials and methods.....</b>	 <b>41</b>
2.2.1 Plants material and growth conditions .....	41
2.2.2 Screening for T-DNA insertion lines.....	41
2.2.3 Heterologous expression of ATSIP1 and -2 in <i>Sf9</i> insect cells .....	42
2.2.3.1 Bacmid construction and transfection .....	42
2.2.3.2 Expression of ATSIP1 and -2 in <i>Sf9</i> cells .....	43
2.2.3.3 RNA isolation from <i>Sf9</i> cells and cDNA synthesis.....	44
2.2.4 $\alpha$ -Galactosidase activity assays of recombinant ATSIP1 and -2.....	45
2.2.5 Desalting of extracts.....	45
2.2.6 HPLC-PAD analysis.....	46
2.2.7 Biochemical characterization of recombinant ATSIP1 and -2 .....	46

2.2.8	Cold acclimation and deacclimation treatments .....	47
2.2.9	Water-deficit and rehydration treatments .....	47
2.2.10	Plant enzyme extraction and activity assays .....	47
2.2.11	EDTA-mediated phloem exudation and <sup>14</sup> C pulse-chase experiment .....	48
2.2.12	RNA isolation from plant tissue and semi-quantitative PCR (sqPCR) .....	48
2.2.13	Promoter-β-glucuronidase (GUS) plants .....	49
2.2.14	Histochemical staining for β-glucuronidase (GUS) activity .....	49
2.2.15	Preparation of root cross sections for light microscopy .....	50
2.2.16	Seed germination assays .....	50
2.2.17	Water soluble carbohydrate (WSC) extractions .....	50
<b>2.3</b>	<b>Results .....</b>	<b>51</b>
2.3.1	ATSIP1 and -2 are <i>bona-fide</i> αGals with different substrate specificities .....	51
2.3.2	Biochemical characterization of recombinant ATSIP1 and -2 .....	53
2.3.3	ATSIP2 does not seem to play an important role during deacclimation of cold-acclimated plants .....	54
2.3.4	ATSIP2 does not seem to play an important role during rehydration of dehydrated plants .....	56
2.3.5	Investigating the role of ATSIP1 and -2 role in phloem unloading in leaves .....	58
2.3.5.1	ATSIP2 has a sink-specific expression and αGal activity pattern .....	60
2.3.5.2	ATSIP1 has a sink-specific expression pattern but the Sta and Gol-specific αGal activity remains low .....	61
2.3.6	Physiological functions of ATSIP1 and -2 during seed germination .....	62
<b>2.4</b>	<b>Discussion .....</b>	<b>65</b>
<b>CHAPTER III: AtDIN10 (At5g20250) is an alkaline αGal located in the chloroplast .....</b>		<b>67</b>
<b>3.1</b>	<b>Introduction .....</b>	<b>69</b>
<b>3.2</b>	<b>Materials and methods .....</b>	<b>71</b>
3.2.1	Plant material and growth conditions .....	71
3.2.2	Recombinant AtDIN10 expression and characterization in <i>Sf9</i> insect cells .....	71
3.2.3	GFP fusion protein analysis .....	71
3.2.4	Biochemical characterization of recombinant AtDIN10 .....	72
<b>3.3</b>	<b>Results .....</b>	<b>73</b>
3.3.1	<i>AtDIN10</i> contains a putative chloroplast transit peptide (cTP) .....	73
3.3.2	AtDIN10 is localized in the chloroplast .....	73
3.3.3	AtDIN10 is an alkaline αGal .....	74
<b>3.4</b>	<b>Discussion .....</b>	<b>76</b>
<b>CHAPTER IV: An Arabidopsis T-DNA insertion mutant for galactokinase (AtGALK, At3g06580) hyperaccumulates free galactose and exhibits insensitivity to exogenous galactose .....</b>		<b>79</b>
<b>4.1</b>	<b>Introduction .....</b>	<b>81</b>
<b>4.2</b>	<b>Materials and methods .....</b>	<b>83</b>
4.2.1	Plant materials and growth conditions .....	83

4.2.2	Screening for T-DNA insertion lines.....	83
4.2.3	Recombinant AtGALK expression in <i>Sf9</i> insect cells.....	83
4.2.4	GALK activity assay and biochemical characterization of recombinant AtGALK.....	84
4.2.5	GALK analysis of plant crude extract .....	84
4.2.6	Construction of <i>atgalk/35S: AtGALK</i> rescued lines .....	84
4.2.7	RNA isolation and semi-quantitative PCR (sqPCR) .....	84
4.2.8	Water soluble carbohydrate (WSCs) extraction.....	85
4.2.9	Isolation of mesophyll protoplasts and vacuoles from <i>Arabidopsis</i> .....	85
4.2.10	Enzymatic quantification of Gal.....	85
4.2.11	Gal toxicity assays.....	86
<b>4.3</b>	<b>Results .....</b>	<b>87</b>
4.3.1	AtGALK was functionally expressed and biochemically characterized .....	87
4.3.2	Characterization of an <i>atgalk</i> T-DNA insertion line .....	88
4.3.3	Functional rescue of <i>atgalk</i> .....	90
4.3.4	<i>In vitro</i> -grown <i>atgalk</i> seedlings exhibit insensitivity to exogenous Gal .....	91
4.3.5	Free Gal accumulates in leaf mesophyll vacuoles of <i>atgalk</i> plants .....	92
4.3.6	Uptake mechanisms for free Gal are unaffected in <i>atgalk</i> plants .....	93
<b>4.4</b>	<b>Discussion .....</b>	<b>96</b>
<b>CHAPTER V: General summary, conclusions and outlook .....</b>		<b>101</b>
<b>5.1</b>	<b>General discussions and conclusions .....</b>	<b>103</b>
5.1.1	AtSIP2 is a <i>bona fide</i> Raf-specific alkaline $\alpha$ Gal proposed to be involved in phloem unloading .....	105
5.1.2	ATSIP1 is a <i>bona fide</i> Sta- and Gol-specific alkaline $\alpha$ Gal with a yet unknown physiological function.....	106
5.1.3	AtDIN10 is an alkaline $\alpha$ Gal located in the chloroplast, proposed to degrade DGDG during dark-induced senescence .....	107
5.1.4	Are the other annotated RafSs genuine RafSs?.....	108
5.1.5	AtGALK is a <i>bona fide</i> GALK and the study of <i>atgalk</i> reveals a putative new Gal detoxification pathway involving a tonoplast transporter.....	109
5.1.6	Does the conversion of $\beta$ -form of Gal to $\alpha$ -form via a mutarotase exist in <i>Arabidopsis</i> ?.....	111
<b>5.2</b>	<b>Outlook.....</b>	<b>114</b>
<b>REFERENCE LIST.....</b>		<b>115</b>
<b>APENDICES</b>		
I	List of abbreviations.....	129
II	PETERS S., EGERT A., STIEGER B., KELLER F. (2010) Plant and Cell Physiology .....	131
III	<i>Curriculum Vitae</i> .....	137
IV	Acknowledgments .....	139