

Contents

Acknowledgements	v
Abstract (English/Français)	vii
List of figures	xviii
List of tables	xxi
1 Introduction	1
1.1 Application	1
1.2 Research Objective	2
1.3 Integrated CMOS Biosensors	2
1.4 CMOS Sensor Interface	3
1.5 Thesis Organization	4
2 Electrochemical Biosensors	7
2.1 Abstract	7
2.2 Electrochemical Sensing Principle	7
2.3 Electrochemical Biosensor	8
2.4 Affinity Biosensor	8
2.4.1 Electrical Equivalent Circuit	10
2.4.2 Nature of Biochemical Reaction	10
2.4.3 Real Time/End Point Detection	11
2.5 Detection Techniques	11
2.5.1 Cyclic Voltammetry (CV)	11
2.5.2 Impedance Spectroscopy (IS)	12
2.6 Detection Circuitry	13
2.7 Specifications/Requirements	14
2.8 Conclusion	14
	xv

3 State-of-the-art	17
3.1 Abstract	17
3.2 Front-End	17
3.2.1 Canceling Technique	18
3.2.2 Frontend Topologies	19
3.3 A/D Converter	19
3.3.1 A/D Converter Topologies	19
3.3.2 Asynchronous A/D Conversion	20
3.4 Figure-of-Merit	22
3.5 Chopper Stabilization	22
3.5.1 Effect on Input Signal	24
3.5.2 Effect on Amplifier Noise and Offset	24
3.5.3 Residual Offsets	25
3.5.4 Output Filtering	26
3.6 Conclusion	26
4 Frontend Topologies	27
4.1 Abstract	27
4.2 MOS based CG Stage	27
4.3 Resistive CG Stage	29
4.4 CG-CS Stage (Noise Canceling Stage)	32
4.4.1 Choosing G_m of CS Stage	34
4.4.2 Canceling Condition	36
4.4.3 Distortion of CS stage	36
4.4.4 Choosing G_m/I ratio for CS stage	37
4.4.5 Noise	38
4.5 Noise Canceling Chopper Stabilization (NCCS) Stage	40
4.6 Chopper Stabilized CG Stage	41
4.7 Comparison of Different Topologies	42
4.7.1 I/P Referred Noise PSD	42
4.7.2 Harmonic Distortion	42
4.8 FOM Comparison	44
4.9 Summary and Conclusion	47
5 Canceling and Chopper Stabilization (CCS) based Biosensor Front-End	49
5.1 Abstract	49
5.2 Robustness of Canceling	49
5.3 Noise Canceling Chopper Stabilized (NCCS) Amplifier	52

5.4	Capacitively Coupled (CC) Amplifier	53
5.4.1	Distortion of Pseudo-Resistors	55
5.5	Canceling and Chopper Stabilization based Front-End	57
5.6	Circuit Design and Measurement Results	58
5.6.1	Electrochemical Measurements	63
5.7	Performance Comparison	65
5.8	Conclusion	67
6	Asynchronous A/D Conversion Technique	71
6.1	Abstract	71
6.2	Asynchronous A/D Conversion	71
6.3	Asynchronous Delta Modulation (AS-DM)	73
6.4	Activity Based Sample Rate	75
6.5	Quantization Noise Properties	76
6.5.1	Sinusoidal Inputs	77
6.5.2	Other General Case Inputs	82
6.6	Empirical SQNR	83
6.6.1	Half Integer Inputs	84
6.7	Conclusion	85
7	Asynchronous Sensor Interface Design and Characterization	89
7.1	Abstract	89
7.2	Introduction	89
7.3	Sampling of Asynchronous ADC Outputs	90
7.4	ADC Circuit Design	93
7.5	ADC Measurement Results	96
7.6	Asynchronous CMOS Biosensor Interface	99
7.7	Conclusion	100
8	Conclusion and Future Work	107
8.1	Summary	107
8.2	Contributions	108
8.3	Comparison of Achieved Performance	109
8.4	Improvements and Future Work	110
Appendix A	Distortion	111
A.1	Current-Distortion Trade-off	111
A.2	Harmonic Distortion Coefficients for the MOS based CG stage	112

Contents

A.3 Harmonic Distortion Coefficients for the Resistive CG stage 112

A.4 Harmonic Distortion Coefficients in a CG-CS Stage 113

Appendix B Common Mode Rejection Ratio (CMRR) 115

B.1 CMRR of the Front-End 115

Appendix C Quantization Noise of Asynchronous ADC 119

C.1 Quantization Noise for Two-Tone Inputs 119

Appendix D Circuit Design 121

D.1 .18 μm TSMC Process MOS Parameter Summary 121

D.2 MOS Transistor Design Equations 121

D.3 Device Dimensions 121

D.3.1 Design procedure for Canceling (CGCS) stage 121

D.3.2 CC Amplifier OTA 126

D.3.3 Filter OTA 127

D.3.4 Comparator 128

D.3.5 Resistor DAC 129

Bibliography 130

Curriculum Vitae 137