

Contents

Abstract	v
Résumé	vii
Sommario	ix
1 Introduction	1
1.1 Challenge of this thesis	2
1.2 Structure of the manuscript	3
2 State of the art and Slot Waveguide Cavity design	5
2.1 Finite difference time domain method	5
2.2 State of the art – photonic and plasmonic waveguiding	6
2.2.1 Slab waveguides	7
2.2.2 Rectangular core waveguides	11
2.2.3 Light losses	11
2.2.4 Metal-dielectric interface	15
2.2.5 Two metal-dielectric interfaces	16
2.2.6 Periodic MIM array and effective medium theory	17
2.2.7 Cascaded 2D MIM configuration	19
2.2.8 The slot waveguide cavity design concept	22
2.2.9 Integrated biosensors	22
2.2.9.1 Advantages of integrated biosensors	23
2.2.10 Refractive index sensors	24
2.2.10.1 Generalities	25
2.2.10.2 Measurement concepts	26
2.2.11 Summary and conclusions	28
2.3 Slot Waveguide Cavity design	30
2.3.1 Generalities	31
2.3.2 Simulated optical properties of periodic SWC design	33
2.3.2.1 Fabry-Pérot-like resonator model	34
2.3.2.2 SWC slot modes	36
2.3.2.3 Shen’s effective medium model	38

2.3.2.4	Sensing functionality	39
2.3.2.5	Cascaded configuration	39
2.3.2.6	Quasi-periodic SWC design	40
2.3.3	Rectangular core ridge SiO ₂ /Si/SiO ₂ waveguide	42
2.3.4	1D dielectric waveguides	43
2.3.4.1	Slab waveguides	44
2.3.4.2	Tapered slab	46
2.3.5	2D 16 μm-wide dielectric waveguide in SWC design	47
2.3.5.1	Effective index method	48
2.3.5.2	Finite difference mode solver	50
2.3.6	FDTD simulations of taper and bend in SWC design	52
2.3.6.1	Linear taper	52
2.3.6.2	90°-bend	54
2.3.7	Summary and conclusions	54

3 Fabrication **55**

3.1	Pattern formation techniques – lithography	55
3.1.1	Writing at the micro and nanoscale	55
3.1.2	Photolithography	57
3.1.2.1	Maskless lithography for photomask fabrication	58
3.1.3	Electron beam lithography	59
3.1.3.1	Vistec EBPG5000	62
3.1.3.2	High resolution electron beam resists	63
	Resist selection for nanostructuration of SWC design	63
3.1.3.3	Insulating substrates	64
	Substrate selection for nanostructuration of SWC	65
3.1.3.4	Linewidth fluctuations and resolution enhancement	67
	Electron beam lithography for nanostructuration of SWC	68
3.1.4	Summary	69
3.2	Deposition and pattern transfer techniques	69
3.2.1	Bottom-up and top-down approaches	70
3.2.2	Deposition techniques	70
3.2.2.1	Chemical vapor deposition	70
	Silicon layer in SWC design	71
3.2.2.2	Sputtering deposition	71
	Silicon dioxide layer in SWC design	72
3.2.2.3	E-beam evaporation	72
	Gold layer in SWC design	73
3.2.3	Pattern transfer techniques	73
3.2.3.1	Lift-off method	74
	ZEP520A lift-off for metallic cavity pattern in SWC design	76
3.2.3.2	Gold wet etching	76

Wet etching of exceeding gold in SWC design	77
3.2.3.3 Reactive Ion Etching	78
Thin and deep dry etching in SWC design	79
3.2.4 Summary	79
3.3 Fabrication process flow	80
3.3.1 Wafer and multilayer thin films: fabrication of guiding layers . .	80
3.3.2 Nanostructuration: fabrication of the gold cavity	81
3.3.3 Microstructuration: fabrication of the waveguide	83
3.3.4 Cleaving	86
3.3.5 Fabrication process flow	86
3.3.5.1 Fabricated sample types	90
3.3.6 Modification of the process flow for AAA design	91
3.4 Summary and conclusions	93
4 Characterization	97
4.1 Introduction	97
4.2 Experimental set-up	99
4.2.1 Equipment	99
4.2.2 State of polarization	100
4.3 Waveguide characterization	102
4.3.1 Discontinuity losses and coupling efficiency	102
4.3.2 End-fire configuration	105
4.3.3 Butt-coupling configuration	107
4.3.3.1 Cut-back method	109
4.3.3.2 Fabry-Pérot resonators	109
4.3.3.3 Evaluation of losses	112
4.3.4 Slot Waveguide Cavity Characterization	113
4.3.5 Cascaded slot waveguide cavity	115
4.4 Refractive index variation	116
4.4.1 Water and water droplet size effect	117
4.4.2 Water solutions of sodium chloride	119
4.4.3 Organic solvents	119
4.4.4 Exponential trend discrepancy	120
4.5 Single slot waveguide cavity and future perspectives	122
4.6 Conclusions	122
5 Conclusions	125
Appendices	126
A Refractive index based devices	127
A.1 Photonic crystal based switchable filter	127

Contents

A.2	Annular Aperture Array (AAA) embedded in a Si_3N_4 waveguide	130
B	Mode solver methods	133
B.1	Two-layer slab waveguides	133
B.2	The effective index method	135
B.3	The finite difference mode solver method	136
C	Light source and detection	137
C.1	Supercontinuum source	137
C.2	Optical Spectrum Analyzer	138
	List of figures	141
	List of tables	146
	Bibliography	149
	Acknowledgements	163
	Curriculum Vitae	167