

Contents

1	Introduction: Hallucinations in Schizophrenia	10
1.1	Phenomenology	10
1.2	Neurobiology	11
1.3	Neuroimaging	12
1.3.1	Statistical background	13
1.3.1.1	Introduction	13
1.3.1.2	Statistical analysis of neuroimaging data	13
1.3.1.3	Lessons from the post-mortem salmon	14
1.3.1.4	Currently discussed weaknesses of neuroimaging studies	15
1.3.2	Arterial spin labeling (ASL)	16
1.3.3	ASL data analysis with aslm	16
1.3.3.1	Object oriented programming	17
1.3.3.2	ASL-objects	20
1.4	Treatment alternatives	20
1.4.1	Transcranial magnetic stimulation (TMS)	20
1.4.2	Transcranial direct current stimulation (tDCS)	21
1.5	Aims of the project	22
1.6	Published and submitted papers	23
2	Identifying responders to transcranial magnetic stimulation	24
2.1	Reference	24
2.2	Introduction	24
2.2.1	Aim of the study	25
2.2.2	Hypothesis	25
2.3	Methods	25
2.3.1	Patients and clinical investigation	25
2.3.2	Imaging parameters	26
2.3.2.1	Structural MRI	26
2.3.2.2	ASL	26
2.3.3	TMS parameters	27
2.3.3.1	fMRI data acquisition and analysis	27
2.3.3.2	TMS stimulation paradigm	28
2.3.4	Statistical analysis	29
2.3.4.1	Group effects	29
2.3.4.2	Correlational analysis	29
2.3.4.3	Point-biserial correlation coefficient	30
2.3.4.4	Reciever operator characteristic (ROC) analysis	30

Contents

2.4	Results	30
2.4.1	Clinical data	30
2.4.2	ASL data	30
2.4.3	ASL data and psychopathology	33
2.4.4	Reciever operator characteristic (ROC) analysis	33
2.5	Discussion	34
2.5.1	Summary of the main findings	34
2.5.2	Comparison with recent negative TMS results	34
2.5.3	Significance of the left STG in AVH	35
2.5.4	No effect of covariates	35
2.5.5	Limitations	36
2.5.6	Conclusion	36
3	Neuronal correlates of transcranial magnetic stimulation	37
3.1	Reference	37
3.2	Introduction	37
3.2.1	Aim of the study	38
3.2.2	Hypothesis	38
3.3	Methods	39
3.3.1	Patients and clinical investigation	39
3.3.2	ASL imaging parameters	39
3.3.3	TMS parameters	39
3.3.4	Statistical analysis	39
3.3.4.1	Clinical effects	39
3.3.4.2	ASL data	40
3.4	Results	40
3.4.1	Clinical data	40
3.4.2	ASL data	40
3.5	Discussion	42
3.5.1	Summary of main findings	42
3.5.2	Cerebal TMS effects	42
3.5.3	The primary auditory cortex and AVH	43
3.5.4	Broca's area and AVH	43
3.5.5	The anterior cingulate cortex and AVH	44
3.5.6	Possible TMS remote effects	44
3.5.7	Limitations	44
3.5.8	Conclusion	45
4	Tonical increase of superior temporal gyrus perfusion	46
4.1	Reference	46
4.2	Introduction	46
4.2.1	Aim of the study	47
4.2.2	Hypothesis	47
4.3	Methods	47
4.3.1	Patients and clinical investigation	47

Contents

4.3.2	TMS protocol	48
4.3.3	Neuroimaging parameters	48
4.3.3.1	Structural MRI	48
4.3.3.2	ASL	48
4.3.4	Statistical analysis	48
4.3.4.1	Introduction	48
4.3.4.2	Model	49
4.4	Results	50
4.4.1	Clinical data	50
4.4.2	Global and regional CBF in the entire sample	51
4.4.3	Global and regional CBF in the patients sample	52
4.5	Discussion	52
4.5.1	Summary of the main findings	52
4.5.2	The left STG in AVH	53
4.5.3	Increased regional CBF as possible trait marker in AVH	53
4.5.4	Limitations	54
4.5.5	Conclusion	54
5	Clinical and neurobiological effects of transcranial direct current stimulation	55
5.1	Reference	55
5.2	Introduction	55
5.2.1	Aim of the study	55
5.2.2	Hypothesis	55
5.3	Methods	56
5.3.1	tDCS parameters	56
5.3.2	ASL parameters	56
5.4	Results	56
5.4.1	Clinical data	56
5.4.2	ASL data	56
5.5	Discussion	57
6	Overall discussion	58
6.1	Conclusion	60
6.2	Perspective	60
	References	62
	Curriculum Vitae	74