
Table of Contents

1	Introduction	1
1.1.	Urbanization trends worldwide	1
1.2.	Underground development.....	4
1.3.	Problems faced by urban tunnelling	5
1.4.	Objectives and scope of the present study	6
1.5.	Outline and structure of the thesis	7
2	Tunnel boring machine performance and performance prediction model	9
2.1.	Description of tunnel boring machine	10
2.2.	Development of the tunnel boring machines.....	10
2.3.	Development of tunnel boring machine after 1945	13
2.4.	TBM types	16
2.5.	TBM performance and performance parameters.....	19
2.6.	Most commonly used parameters for performance prediction	21
2.7.	Performance prediction models for hard rock	23
2.7.1.	Theoretical models for TBM performance prediction	23
2.7.2.	Empirical models	31
2.7.3.	Models under development	41
2.8.	Performance prediction for soft material	42
2.9.	Special performance prediction models.....	42
2.10.	Cutter wear prediction and thrust force/torque calculation	43
2.10.1.	Prediction of cutter wear	44
2.10.2.	Thrust force and torque of the cutterhead	47

2.11. Assessment of TBM performance models	48
2.12. TBM performance model for mixed ground.....	52
3 Mixed ground and its classification	55
3.1. Classifications for rock masses	56
3.1.1. The 'Q' system for rock mass classification	57
3.1.2. The Rock Mass Rating (RMR) classification.....	62
3.1.3. The Rock Mass Excavability (RMR) index	63
3.1.4. The Rock Mass index (RMI).....	65
3.2. Soil classification	67
3.2.1. Unified Soil Classification System	68
3.2.2. Soil classification for tunneling	69
3.2.3. Soil classification for mechanized tunneling	69
3.3. Mixed grounds observed at tunnelling sites.....	72
3.4. Definition of mixed ground	77
3.5. Classification of mixed ground.....	78
3.5.1. Rock-Soil Interface Mixed Ground.....	79
3.5.2. Boulder-Soil Matrix Mixed Ground.....	80
3.5.3. Layered-Banded Rock Mixed Ground	81
3.6. Other classification of mixed ground	82
3.6.1. Grain distribution	82
3.6.2. Mineralogy	83
3.6.3. The frequency of the excavation mode change.....	83
3.6.4. The effect of the ground water	83
3.7. Formation and distribution of RSI mixed ground.....	84
3.8. Engineering properties of mixed ground	86
3.9. Performance prediction models for mixed grounds.....	86
3.10. Conclusion.....	89
4 Development of TBM performance model for RSI mixed ground.....	91
4.1. The methodology of the study.....	91
4.2. The Deep Tunnel Sewerage System project	93
4.2.1. The geology of the area	94
4.2.2. The TBM characteristics.....	97

Table of Contents

4.3.	The C855 project.....	98
4.3.1.	The geology of the area.....	99
4.3.2.	The Tunnel Boring Machines	102
4.4.	Database and data analysis	103
4.4.1.	The geological database	105
4.4.2.	Determining face composition	108
4.4.3.	Rock mass parameters.....	110
4.4.4.	The TBM database	113
4.4.5.	Linking the geological and TBM operational data.....	115
4.5.	Proposed TBM performance model for RSI mixed ground	118
4.5.1.	Single parameter regression analysis	118
4.5.2.	Correlation between thrust force, torque and penetration rate.....	118
4.5.3.	Analysis based on specific energy	121
4.6.	Penetration rate	123
4.6.1.	Analytical methods	125
4.6.2.	Regression analysis	127
4.6.3.	ANOVA applied on the selected tunnel section	129
4.6.4.	The coefficients of the models.....	130
4.6.5.	Evaluation of the penetration rate models.....	133
4.7.	Cutterhead rotation speed	135
4.7.1.	Regression analysis	136
4.7.2.	Determining the coefficients of the models	138
4.7.3.	Evaluation of the cutterhead rotation models	139
4.8.	Advance rate.....	140
4.8.1.	Correlation between the measured and calculated values	140
4.9.	Utilization rate of the TBM	143
4.10.	Parameter determination for the mixed ground model	145
4.11.	Limitation of the proposed model.....	146
4.12.	Conclusion.....	147
5	Verification and application of the performance model	151
5.1.	Model verification with other tunnel sections and TBMs.....	151

5.1.1.	The DTSS T05 Northbound tunnel –before and after the cutterhead modification	152
5.1.2.	The DTSS T05 Southbound tunnel	157
5.1.3.	The mixed section of C855 project in Singapore	160
5.2.	Model verification with virtual tunnels	163
5.2.1.	The bootstrapping method.....	163
5.2.2.	Bootstrap method for the penetration rate and cutterhead rotation speed analysis.....	164
5.2.3.	Verification of mixed ground penetration model.....	165
5.2.4.	Cutterhead rotation speed model	165
5.2.5.	Advance rate correlation	165
5.2.6.	Virtual tunnel generation.....	165
5.2.7.	Limitations of the bootstrapping method	169
5.3.	Correlations based on the virtual tunnels.....	169
5.3.1.	Penetration rate analysis	170
5.3.2.	Cutterhead rotation speed analysis.....	172
5.3.3.	Advance rate analysis	174
5.4.	Application of the performance model in project planning	176
5.4.1.	Feasibility study phase of a tunnelling project	176
5.4.2.	Determining the time-cost diagram of the scenarios	176
5.4.3.	Tendering and excavation scheduling.....	178
5.5.	Use of the performance model during and after TBM operation.....	178
5.5.1.	Back-analysis of the tunnelling.....	179
5.6.	Implementation of the performance model in DAT	180
5.6.1.	Simulation of tunnelling processes with DAT	182
5.6.2.	Example of mixed ground simulation with DAT.....	184
5.6.3.	Limitations and suggestions for future development	190
5.7.	Conclusions	192
6	Outcome and future research	195
6.1.	Conclusions	195
6.2.	Further development	200
6.2.1.	Standardizing data collection	200
6.2.2.	TBM performance models for other mixed ground types	200

Table of Contents

A.	Annex A: The databases used for the statistical analysis.....	A-1
B.	Annex B: VBA scripts used for data analysis.....	B-1
C.	Annex C: VBA script for virtual tunnel generation and bootstrapping	C-1