

Table of Contents

Preface

1. INTRODUCTION	1
1. 1. Plate tectonic setting of Japanese Islands	1
1. 1. 1. Japanese Archipelago	1
1. 1. 2. Plate boundaries and earthquakes	3
1. 2. Geotectonic division of pre-Neogene basement rocks of Japan	6
1. 2. 1. Geotectonic division	6
1. 2. 2. Geologic structure of basement rocks and crustal profiles	9
1. 2. 3. Geotectonic link to East Asian orogenic belts	11
1. 3. Geologic outline of the trip area: Hida and Mino belts	14
1. 3. 1. Hida belt	16
1. 3. 2. Hida Gaien belt	17
1. 3. 3. Mino belt	19
1. 3. 4. Cover sediments and intrusive rocks	28
1. 4. Additional notes on topics excluded from the trip	31
1. 4. 1. Cave-fill or fissure-fill: mixed conodont faunas-bearing clastic carbonates	31
1. 4. 2. Permian-Triassic boundary siliceous rocks in the Mino belt	34
2. ITINERARY AND LIST OF STOPS	43
2. 1. Itinerary	43
2. 2. List of stops with keywords for highlights	45
3. GEOLOGIC HIGHLIGHTS OF STOPS	48
Days 1-2	
3. 1. Hida and Hida Gaien belts in the Takayama area	48
Stop 1. Middle Paleozoic acidic volcanic activity in the Hida Gaien belt: Devonian Rosse Formation	48

Stop 2. Upper Paleozoic volcanic activity in the Hida Gaien belt: Carboniferous Arakigawa Formation	49
Stop 3. Devonian Fukuji Formation of the Hida Gaien belt and the Paleozoic shallow-marine fossil collection of Fukuji Fossil Museum	53
Stop 4. Shear zone in the Jurassic Funatsu Granite of the Hida belt	55
Stop 5. Fragment of continental block: Hida gneiss in the Hida belt	55
Stop 6. Tetori Group: Jurassic-Cretaceous post-orogenic sediments covering the Hida and Hida Gaien belts	57
Stop 7. Upper Paleozoic Kamihirose Formation of the Hida Gaien belt	59
 Day 3	
3. 2. Triassic-Jurassic deep-marine oceanic plate stratigraphy of Mino terrane	59
Stop 8. Precambrian gneiss clasts-bearing debris flow conglomerate in trench-fill turbidite succession: Kamiaso Conglomerate	60
Stop 9. Triassic-Jurassic radiolarian ribbon chert and associated siliceous rocks: Unuma Section	60
Stop 10. Permian limestone and Triassic chert clasts-bearing olistostrome: Wadano Conglomerate	64
 Day 4	
3. 3. Middle Jurassic chaotic facies	68
Stop 11. Middle Jurassic mélange including Permian-Triassic limestone and chert blocks: Tachibana Mélange	68
3. 4. Late Triassic ejecta deposits	69
Stop 12. Middle Norian impact ejecta layer (Sakahogi section)	69
3. 5. Late Jurassic chaotic facies	75
Stop 13. Wet-sediment deformation of the Upper Jurassic turbiditic sandstone and mudstone	75
 Day 5	
3. 6. Permian-Triassic oceanic assemblages (1)	78
Stop 14. Early to Middle Permian seamount-top carbonate facies (1): lower part of the upper member of the Funabuseyama	

Formation	83
Stop 15. Early to Middle Permian seamount-top carbonate facies (2): upper part of the upper member of the Funabuseyama Formation	90
Stop 16. Upper Triassic pelagic limestone of deep-marine facies	92
 Day 6	
3. 6. Permian-Triassic oceanic assemblages (2)	96
Stop 17. Long-lived deep-marine sedimentation around a Panthalassic seamount: Early Permian to Early Triassic Hashikadani Formation	96
Stop 18. Early to Middle Permian seamount-top carbonate facies (3): lower member of the Funabuseyama Formation	102
 3. 7. Active fault in central Japan	107
Stop 19. Neodani fault: Active fault causing the Nobi Earthquake (M =8.0) in 1891	107
 4. REFERENCES	113

APPENDIX