

# Contents

<b>1</b>	<b>Background</b>	<b>1</b>
1.1	Introduction and motivation . . . . .	1
1.1.1	A future for spintronics . . . . .	1
1.1.2	The non-ballistic spin field-effect-transistor . . . . .	2
1.1.3	Outline of the thesis . . . . .	3
1.2	Spins in semiconductors . . . . .	3
1.2.1	Basic properties of two-dimensional electron gases . . . . .	4
1.2.2	Spin polarization by optical orientation . . . . .	5
1.2.3	Magneto-optical Kerr effect . . . . .	6
1.3	Spin-orbit interaction . . . . .	7
1.3.1	Rashba spin-orbit interaction . . . . .	9
1.3.2	Tunability of the Rashba spin-orbit interaction . . . . .	10
1.3.3	Bulk Dresselhaus spin-orbit interaction . . . . .	11
1.3.4	Spin-orbit interaction in (001)-grown GaAs QWs . . . . .	12
1.3.5	The spin-orbit splitting . . . . .	13
1.3.6	The effective spin-orbit magnetic field . . . . .	14
1.4	Spin precession and spin relaxation . . . . .	16
1.5	Spin diffusion and spin decay . . . . .	17
<b>2</b>	<b>Theoretical description of the persistent spin helix</b>	<b>21</b>
2.1	Appearance of the persistent spin helix . . . . .	22
2.2	The spin helix Hamiltonian . . . . .	24
2.3	Formation of the PSH from helical spin states . . . . .	24
2.3.1	Expansion in angular harmonics . . . . .	25
2.3.2	Dispersion of helical spin modes . . . . .	26
2.3.3	Spin-orbit correlations . . . . .	27
2.3.4	Calculation of the PSH lifetime . . . . .	27

2.4	Conclusions . . . . .	30
<b>3</b>	<b>Materials and experimental methods</b>	<b>31</b>
3.1	Optical setup . . . . .	31
3.2	Kerr rotation detection . . . . .	34
3.3	Kerr rotation microscopy . . . . .	35
3.4	Cryostat insert . . . . .	37
3.5	GaAs/Al <sub>x</sub> Ga <sub>1-x</sub> As quantum wells . . . . .	40
3.6	Sample processing and devices . . . . .	43
<b>4</b>	<b>Measurements of the drift-induced spin-orbit splitting</b>	<b>45</b>
4.1	The drift-induced spin-orbit splitting . . . . .	46
4.1.1	Calculation of the drift-induced spin splitting . . . . .	47
4.1.2	Separation of the Rashba and Dresselhaus SOI . . . . .	49
4.2	Sample Characterization . . . . .	50
4.3	Observation of the drift-induced Dresselhaus spin-orbit splitting . . . . .	51
4.4	Measurements of the Rashba coefficient . . . . .	54
4.4.1	Calculation of the electric field in the QW . . . . .	55
4.4.2	Drift measurements of the Rashba coefficient . . . . .	55
4.4.3	Discussion of the Rashba tunability . . . . .	58
4.4.4	Discussion of possible error sources . . . . .	59
4.5	Dependence of the Dresselhaus SOI on the QW width . . . . .	61
4.5.1	Interplay of spin-orbit and Zeeman spin splitting . . . . .	62
4.5.2	Observation of the absolute sign of the $g$ factor . . . . .	63
4.5.3	Confinement-controlled variation of the Dresselhaus SOI . . . . .	64
4.5.4	Determination of the electron-electron scattering time . . . . .	66
4.6	Summary . . . . .	67
<b>5</b>	<b>Imaging the formation of the persistent spin helix</b>	<b>69</b>
5.1	Direct mapping of the persistent spin helix . . . . .	70
5.2	Observation of the helical spin mode . . . . .	72
5.3	Spin diffusion and lifetime analysis . . . . .	73
5.4	Interplay of the PSH with an external magnetic field . . . . .	76
5.5	Determination of the SOI imbalance . . . . .	77
5.6	Detuning from the spin helix regime . . . . .	79
5.7	Conclusions . . . . .	80

<b>6 Formation of the PSH in a gate-controlled GaAs QW</b>	<b>83</b>
6.1 Tuning of the SOI imbalance . . . . .	84
6.2 Simulation of the PSH sample . . . . .	87
6.3 Imaging the PSH in a gate-controlled QW . . . . .	90
6.4 Dynamics of the helical spin modes . . . . .	93
6.5 Analytical description of the PSH formation . . . . .	96
6.6 Conclusions . . . . .	101
<b>Appendices</b>	<b>103</b>
<b>Publications</b>	<b>129</b>
<b>Bibliography</b>	<b>130</b>
<b>Acknowledgements</b>	<b>137</b>
<b>Curriculum Vitae</b>	<b>139</b>