

Contents

Abstract	i
Zusammenfassung	v
1 Introduction	1
1.1 The electronic ground state of molecular hydrogen	3
1.1.1 Born-Oppenheimer treatment	3
1.1.2 Symmetries and nuclear spins	5
1.2 Low-lying electronically excited states	10
1.3 High- n Rydberg states	13
1.4 The ionization and dissociation energies of molecular hydrogen	16
1.4.1 Precision measurements of ionization energies	17
1.4.2 Determination of the dissociation energy of H_2	19
2 Multichannel quantum-defect theory	27
2.1 MQDT neglecting spins	28
2.1.1 One-channel quantum-defect theory	28
2.1.2 MQDT quantization condition	32
2.1.3 Frame-transformation method	35
2.1.4 Electronic channel interactions	40
2.1.5 Mass dependence of the eigenquantum defects	43
2.1.6 Numerical implementation of MQDT	44
2.2 MQDT including electron and nuclear spins	46
2.2.1 Limiting coupling cases	47
2.2.2 Spin-rotational frame transformation	50

2.2.3	Ionic fine and hyperfine structure	55
3	Experimental setups and methods	63
3.1	Light sources	63
3.1.1	Ti:Sa laser system	63
3.1.2	Generation of UV and VUV radiation	65
3.2	Frequency calibration	67
3.2.1	Doppler-free saturation spectroscopy of iodine	67
3.2.2	Actively stabilized high-finesse etalon	70
3.3	Experimental chamber	72
4	Autoionizing triplet <i>gerade</i> Rydberg states of H₂	75
4.1	Experiment	77
4.2	Observed spectrum	79
4.2.1	Vibrational and rotational structure	79
4.2.2	Selection rules and orbital fine structure	81
4.2.3	The metastable state and determination of term values	83
4.2.4	Rotational and vibrational channel interactions	84
4.3	Quantitative analysis	87
4.3.1	<i>Ab initio</i> MQDT calculations	87
4.3.2	Assignment of transitions to rotational and vibrational perturbers	92
4.3.3	Adjustment of the eigenquantum-defect curves	95
4.4	Conclusions	97
5	Electron binding energies of the high-<i>np</i> Rydberg states of H₂, HD, and D₂	99
5.1	Reanalysis of the millimeter-wave spectra	100
5.2	Weighted global fit of <i>pp</i> eigenquantum defects	104
5.3	Estimation of the uncertainties of the calculated electron binding energies	111
5.4	Conclusions	112
6	Perturbations in the high-<i>n gerade</i> Rydberg states of ortho-H₂	115
6.1	Weighted global fit of the singlet and triplet <i>gerade</i> eigenquantum defects	117

10 An accurate quantum-defect model for the triplet np Rydberg states of He_2	185
10.1 Experiment	186
10.1.1 Production and photoionization spectroscopy of He_2	186
10.1.2 Rydberg-state-resolved threshold-ionization spectroscopy	187
10.1.3 Wave-number calibration	188
10.2 Results	189
10.2.1 Observed transitions and their assignment	189
10.2.2 Determination of term values	196
10.2.3 Adjustment of eigenquantum-defect parameters	200
10.2.4 Determination of potential-energy curves of low- np Rydberg states of He_2	204
10.2.5 Extrapolation of rotational energy spacings of He_2^+	206
10.2.6 Autoionization dynamics	208
10.3 Conclusions	212
11 Conclusions and outlook	215
11.1 Global description of the Rydberg states of molecular hydrogen	215
11.2 High-resolution spectroscopy of Rydberg states	218
11.3 The adiabatic ionization energies of molecular hydrogen	219
11.4 High-precision rovibrational spectroscopy of He_2^+	221
A Constants and units	223
A.1 Physical constants	223
A.2 Energy equivalents	224
A.3 Atomic units	224
A.4 Mass-corrected Rydberg constants	224
B Quantum numbers and symmetry labels	225
C Spin-electronic-rotational wave functions of HD	227
C.1 Coupling case ($a_{\beta J}$)	228
C.2 Coupling case ($\tilde{e}_{\beta J}[a]$)	229

C.3	Coupling case ($\tilde{e}_{\beta J}[b]$)	230
C.4	Coupling case ($e[b_{\beta S^+}]$)	231
D	Matrix representation of the ionic hyperfine Hamiltonian operators	233
D.1	Transformation of the ionic hyperfine Hamiltonian operators	233
D.2	Basic formulas for the calculation of matrix elements	236
D.3	Resulting matrix elements	238
E	Term values of Rydberg states of molecular hydrogen	243
E.1	Triplet <i>gerade</i> Rydberg states of H_2	243
E.2	Singlet and triplet <i>np</i> Rydberg states of H_2 and D_2	251
E.3	Singlet <i>gerade</i> Rydberg states of H_2 and D_2	259
F	Final adjusted eigenquantum-defect parameters of molecular hydrogen	263
G	Calculated electron binding energies of high-n Rydberg states	269
G.1	Singlet-p Rydberg states of H_2 , HD, and D_2	269
G.2	<i>Gerade</i> Rydberg states of ortho- H_2	276
H	Evaluation of the adiabatic ionization energy of D_2^+	283
I	Term values of the low-np triplet states of He_2	287
J	Calculated autoionization lifetimes of triplet np Rydberg states of He_2	293
	List of figures	295
	List of tables	298
	Bibliography	304
	Curriculum Vitae	335
	Acknowledgements	339

6.2	Analysis of laser spectra of the high- n <i>gerade</i> Rydberg states of ortho- H_2	124
6.3	Discussion and conclusions	129
7	Determination of the ionization and dissociation energies of HD and D_2	133
7.1	Experiment	134
7.2	Results	135
7.2.1	Survey spectra of Rydberg states and comparison to MQDT calculations	135
7.2.2	Precision measurement of the $EF \rightarrow np$ interval	137
7.2.3	Adiabatic ionization energies of HD and D_2 and ortho-para separation of D_2	143
7.2.4	Dissociation energies of HD and D_2	145
7.2.5	Vibrational spectroscopy of HD^+	146
7.3	Conclusions	148
8	Effects of g/u-symmetry mixing in the high-n Rydberg states of HD	151
8.1	Experiment	152
8.2	Results	154
8.2.1	Observed fine and hyperfine structure	154
8.2.2	Field-induced g/u -symmetry mixing	156
8.2.3	Autoionization dynamics of $N^+ = 1$ Rydberg states	158
8.2.4	Observed shifts in the $np1_1$ Rydberg series	161
8.2.5	A simple MQDT treatment of g/u -symmetry mixing	164
8.2.6	Observation of $GK (v = 1, N = 1) \rightarrow ng$ transitions	166
8.2.7	Analysis of the $np1_2$ Rydberg series	167
8.3	Conclusions	169
9	Precision measurement of the ionization energy of the $3d\sigma GK$ state of H_2 and HD	171
9.1	Experiment	173
9.2	Results	176
9.3	Conclusions	181