

Contents

| | |
|---|-----------|
| Acknowledgements | ix |
| 1 Preliminaries | 9 |
| 1.1 Probability spaces and random variables | 12 |
| 1.2 Distance between probability measures | 14 |
| 1.2.1 Entropy and mutual information | 16 |
| 1.2.2 Relative entropy | 17 |
| 1.3 Markov chains | 19 |
| 1.3.1 Markov chains and Markov graphs | 20 |
| 1.4 Discrete-time Markov chains | 21 |
| 1.4.1 Transient distributions | 22 |
| 1.4.2 Stationary behavior | 22 |
| 1.5 Continuous-time Markov chains | 23 |
| 1.5.1 A discussion on constructing the CTMC | 24 |
| 1.5.2 Transient distribution | 26 |
| 1.5.3 Uniformization | 27 |
| 1.5.4 Stationary behavior | 27 |
| 1.5.5 Finite-dimensional marginal probabilities | 28 |
| 2 Rule-based modeling of biochemical networks | 29 |
| 2.1 Chemical kinetics | 30 |
| 2.1.1 Stochastic chemical kinetics | 31 |
| 2.1.2 Classical chemical kinetics | 33 |
| 2.1.3 Deterministic and stochastic rate constants | 34 |
| 2.1.4 Random time change model and the thermodynamical limit | 35 |
| 2.2 Site-graphs | 36 |
| 2.3 Rule-based models | 39 |
| 2.4 Site-graph rigidity and counting automorphisms | 41 |
| 2.5 Individual-based and species-based semantics of rule-based programs | 43 |
| 2.6 Examples | 46 |
| 3 Automated reductions of rule-based models | 51 |
| 3.1 Stochastic fragments: Motivating example | 53 |
| 3.2 Fragments | 56 |

| | | |
|----------|---|------------|
| 3.3 | Fragment-based semantics | 57 |
| 3.4 | Reduction with fragments | 58 |
| 3.5 | Computing fragment-based semantics | 61 |
| 3.5.1 | Translating the contact map | 62 |
| 3.5.2 | Translating the rule-based program | 63 |
| 4 | Exact aggregation of Markov chains | 65 |
| 4.1 | Lumpability and invertability | 66 |
| 4.2 | Discrete-time case | 68 |
| 4.2.1 | Forward criterion | 69 |
| 4.2.2 | Backward criterion | 69 |
| 4.2.3 | Invertability | 71 |
| 4.2.4 | Convergence | 76 |
| 4.3 | Continuous-time case | 78 |
| 4.4 | Trace semantics of stochastic processes | 82 |
| 4.4.1 | Trace semantics: discrete-time | 82 |
| 4.4.2 | Trace semantics: continuous-time | 83 |
| 4.5 | Trace semantics interpretation of exact aggregations | 83 |
| 4.5.1 | Discrete-time case | 83 |
| 4.5.2 | Continuous-time case | 84 |
| 4.6 | Matrix representation | 85 |
| 5 | Exact automatic reductions of stochastic rule-based models | 88 |
| 5.1 | Exact fragment-based reduction | 91 |
| 5.2 | Computing the fragment-based semantics | 95 |
| 5.3 | Example | 97 |
| 6 | Approximate aggregation of Markov chains | 99 |
| 6.1 | KL divergence | 100 |
| 6.2 | Error measure: Discrete time | 102 |
| 6.2.1 | Lifting: Discrete case | 104 |
| 6.3 | Error measure: Continuous time | 106 |
| 6.3.1 | Lifting: Continuous case | 109 |
| 6.4 | Trace semantics interpretation of approximate aggregations | 111 |
| 6.5 | Matrix representation | 112 |
| 7 | Approximate automatic reductions of stochastic rule-based models | 113 |
| 7.1 | Approximate reductions and error bound | 115 |
| 7.2 | Tests | 115 |
| 8 | Case studies | 118 |
| 8.1 | EGF/insulin receptor pathway | 118 |
| 8.1.1 | Model description | 119 |
| 8.1.2 | Exact fragment-based reduction | 121 |

| | | |
|----------|--|------------|
| 8.2 | HOG pathway in yeast | 122 |
| 8.2.1 | Model description | 122 |
| 8.2.2 | Reachable species | 123 |
| 8.2.3 | Exact fragment-based reduction and model decomposition | 124 |
| 9 | Conclusions and Discussion | 126 |