

Contents

List of Figures	11
List of Tables	15
1 Introduction to the neutron electric dipole moment	19
1.1 Matter and antimatter in our universe	20
1.2 Neutron edm and CP violation	21
1.3 General measurement principle for the nedm	22
1.3.1 The Ramsey method of separated oscillatory fields	23
1.4 Ultracold neutrons	24
2 The nedm spectrometer at PSI	25
2.1 The strategy to search for an nedm	27
2.2 Production of UCN at the PSI UCN source	27
2.3 Overview of the upgraded oILL apparatus	27
2.3.1 Coil system	29
2.3.2 The mercury co-magnetometer	32
2.3.3 The cesium magnetometers	33
2.4 Measurement procedure <i>OR</i> The path of the UCN	34
2.4.1 Realization of the Ramsey method in the nedm spectrometer	35
2.5 Brief overview: statistics & systematic effects	36
2.5.1 Statistical sensitivity of the experiment	36
2.5.2 Required sensitivity to magnetic field changes	37
2.5.3 The different ways of sampling the magnetic field by UCN and Hg atoms	38
2.5.4 Other systematic effects	39
3 The ratio R of precession frequencies of UCN and ^{199}Hg	41
3.1 Effects that influence the measurement of the ratio R	41
3.1.1 Approximating the magnetic field seen by the neutrons	42
3.1.2 The effect of the Earth's rotation	44
3.2 Measurements made in November 2012	45
3.2.1 Description of the measurement conditions	45
3.2.2 Magnetic field configurations and correction coil settings	46
3.2.3 Run summary	47
3.3 Data analysis	49
3.3.1 Treatment of the Cs magnetometer data	49

3.3.2	Extraction of the vertical magnetic field gradient G	55
3.3.3	Extraction of the mercury precession frequency	61
3.3.4	Extraction of the neutron precession frequency: the Ramsey fit	62
3.4	Results	63
3.4.1	R vs G : Flattening of the ratio R with increasing gradient G	63
3.4.2	Fitting the data	65
3.4.3	Extracted results	68
3.4.4	Scaling the error of the vertical magnetic field gradient	72
4	A new force?	75
4.1	Introduction to short range spin-dependent forces	75
4.2	A pseudomagnetic field at the nedm apparatus	78
4.2.1	Measuring the pseudomagnetic field	80
4.2.2	Outlook to an improved sensitivity	80
4.3	Comparison to other limits	81
5	Surrounding field compensation at the nedm apparatus	85
5.1	System characteristics	86
5.2	The relation between internal holding field and surrounding field	89
5.3	Magnetic field characteristics at the nedm site	90
5.4	Performance constraints due to conditions and environment	92
6	The feedback algorithm for the SFC dynamic mode	93
6.1	Introduction to the feedback algorithm	93
6.2	Calculating a new current set-value	95
6.2.1	Introduction of the matrix of proportionality factors	95
6.2.2	Incorporating the matrix into a PI feedback algorithm	96
6.3	Matrix inversion and regularization	97
6.3.1	A simplified simulation model as a tool to derive a value for the regularization parameter	98
6.3.2	Final determination of the regularization parameter	101
6.4	Tuning the proportional and integral gains	102
7	Achieved performances of the SFC system	103
7.1	A method to quantify the SFC performance	103
7.1.1	Definition of the shielding factor	104
7.2	Results	105
7.2.1	Reduction of the DC component of the surrounding magnetic field . . .	105
7.2.2	Performance of simple feedback control with six independent loops . .	105
7.2.3	Comparison of the performance with 12 feedback sensors using a non-regularized or a regularized matrix.	107
7.2.4	SFC performance with 18 and 24 feedback sensors	111
7.2.5	SFC performance with large field changes caused by remote sources . .	113
7.2.6	Influence on the stability of the magnetic holding field inside the shield	116
7.3	Conclusion and outlook for the SFC system	121

8 Summary	123
A The Allan standard deviation	127
B Magnetic field parametrization with cartesian harmonic polynomials	129
C Measured values of the visibility α	131
C.1 The visibility α as function of the gradient G	131
C.2 The influence of exceptional correction coil settings on the gradient G and the visibility α	131
D Detailed derivation of the pseudomagnetic field	133
E SFC Details	135
E.1 SFC coil dimensions	135
E.2 SFC coil power supplies	136
E.2.1 Inherent settling time	136
E.2.2 Current output bit resolution	138
E.3 Fluxgate magnetometers	139
E.3.1 Fluxgate DAQ	139
E.3.2 Fluxgate power supplies	143
E.4 Numeric values of the SFC matrix	143
E.4.1 Description of the SFC matrix measurement	143
E.5 Distribution of the environmental magnetic noise at the nedm site	145
E.6 Finite element simulation of the SFC system	147
Bibliography	149
Acknowledgments	157
Curriculum Vitae	159