

# Contents

<b>Abstract</b>	<b>iii</b>
<b>Zusammenfassung</b>	<b>v</b>
<b>List of Figures</b>	<b>xiii</b>
<b>List of Tables</b>	<b>xvii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 The geomagnetic field . . . . .	2
1.2 Secular variation . . . . .	3
1.2.1 Slow variations of the dipole and the dipole decay of the past 400 years . . . . .	3
1.2.2 East- and westward drift of nondipole features . . . . .	5
1.2.3 Changes on shorter time scales: Archeomagnetic jerks and spikes . . . . .	6
1.3 Measuring the geomagnetic field . . . . .	7
1.4 Models . . . . .	8
1.5 Motivation for the thesis and structure . . . . .	12
<b>2 Rock magnetism and the role of fire</b>	<b>17</b>
2.1 Rock magnetism . . . . .	17
2.1.1 Diamagnetism . . . . .	18
2.1.2 Paramagnetism . . . . .	18
2.1.3 Ferromagnetism (s.l.) . . . . .	19
2.2 Remanent magnetization . . . . .	20
2.2.1 Thermoremanent, chemical remanent, and thermochemical magnetization . . . . .	22
2.2.2 Further types of remanent magnetization . . . . .	23
2.3 Identifying magnetic minerals through rock magnetic measurements . . . . .	24
2.3.1 Type of magnetic minerals . . . . .	24
2.3.2 Grain size . . . . .	25
2.3.3 Stability of remanent magnetization . . . . .	25
2.3.4 Heating temperatures in the past . . . . .	27
2.3.5 Preferred orientation of magnetic moments . . . . .	27
2.4 Enhancement through heat in archeomagnetic samples . . . . .	28
<b>3 Methods to determine directions and intensities</b>	<b>31</b>

3.1	Obtaining archeomagnetic directions . . . . .	31
3.1.1	Weighted outlier approach . . . . .	34
3.2	Obtaining archeomagnetic intensities . . . . .	35
<b>4</b>	<b>Linking site formation processes to magnetic properties</b>	<b>43</b>
4.1	Introduction . . . . .	43
4.2	Site presentation . . . . .	45
4.3	Geoarcheological and magnetic methods . . . . .	47
4.3.1	Geoarcheological methods . . . . .	47
4.3.2	Archeomagnetic field work and sample preparation . . . . .	48
4.3.3	Rock magnetic measurements . . . . .	49
4.3.4	Magnetic directions . . . . .	50
4.4	Geoarcheological results . . . . .	51
4.4.1	Layer-cake facies and other layer-cake beds . . . . .	51
4.4.2	Homogeneous layers . . . . .	54
4.4.3	Degree of preservation of levels . . . . .	55
4.5	Dating of the sections . . . . .	57
4.6	Archeomagnetic results . . . . .	57
4.6.1	Magnetic mineralogy . . . . .	57
4.6.2	Anisotropy and stability of the NRM . . . . .	64
4.6.3	Archeomagnetic directions . . . . .	65
4.7	Discussion . . . . .	70
4.7.1	Magnetic minerals . . . . .	70
4.7.2	Origin of minerals . . . . .	71
4.7.3	Archeomagnetic directions and degree of preservation . . . . .	73
4.7.4	Time variation: comparison to model and data . . . . .	74
4.8	Conclusion . . . . .	76
<b>5</b>	<b>New directional archeomagnetic data of burned cave sediments from Switzerland</b>	<b>77</b>
5.1	Introduction . . . . .	78
5.2	Site presentation and field work . . . . .	79
5.2.1	Formation of the rock shelter . . . . .	79
5.2.2	Chronology . . . . .	81
5.2.3	Sampling and sample preparation . . . . .	82
5.3	Measurements and Methods . . . . .	84
5.3.1	Rock magnetic measurements . . . . .	84
5.3.2	Archeomagnetic measurements . . . . .	86
5.4	Results . . . . .	87
5.4.1	Rock magnetic results . . . . .	87
5.4.2	Archeomagnetic directions . . . . .	93
5.5	Discussion . . . . .	94
5.5.1	Types of magnetic minerals and stability of magnetization . . . . .	94
5.5.2	Smoothing spline fit . . . . .	96
5.5.3	Comparison with other data sets and models . . . . .	97
5.6	Conclusions . . . . .	100

<b>6</b>	<b>Holocene archeointensities from ceramics, slags, burned sediments and cherts</b>	<b>103</b>
6.1	Introduction . . . . .	104
6.2	Materials . . . . .	105
6.3	Sample preparation and rock magnetic measurements . . . . .	106
6.4	Rock magnetic properties . . . . .	111
6.5	Archeointensity results . . . . .	115
6.5.1	Protocol and selection criteria . . . . .	115
6.5.2	Archeointensity results of ceramics, slags and burned sediments . .	117
6.5.3	Archeointensity results of burned and unburned cherts . . . . .	118
6.5.4	Anisotropy of TRM . . . . .	118
6.5.5	Cooling correction . . . . .	122
6.6	Discussion . . . . .	122
6.6.1	Suitability of ceramics, slags and burned sediments . . . . .	122
6.6.2	Criteria for choosing suitable cherts for archeointensity experiments	126
6.6.3	Palaeosecular variation in mid Holocene . . . . .	127
6.7	Conclusions . . . . .	128
<b>7</b>	<b>Conclusions and outlook for future studies</b>	<b>131</b>
7.1	Main conclusions of thesis . . . . .	131
7.2	Outlook for future studies . . . . .	132
<b>A</b>	<b>Tables related to Chapter 4</b>	<b>135</b>
<b>B</b>	<b>Tables related to Chapter 6</b>	<b>141</b>
	<b>Acknowledgments</b>	<b>162</b>
	<b>Curriculum Vitae</b>	<b>164</b>