

Contents

Abstract	iii
Zusammenfassung	v
1 Scope of the Thesis	1
1.1 Motivation	1
1.2 Objectives	2
1.2.1 A tool for online monitoring of bacterial viability upon initial attachment to bioactive surfaces (chapter 3)	2
1.2.2 Effect of bacterial filamentation on the colonization of engineered surfaces decorated with adhesive sites within a biopassive layer (chapter 4)	3
1.2.3 Role of the <i>P. aeruginosa</i> extracellular polymeric substances (EPS) matrix in quorum sensing under fluid flow (chapter 5)	3
2 Introduction	5
2.1 Initial adhesion	5
2.2 Surface colonization	6
2.3 Early biofilm formation	7
2.3.1 Biofilms	7
2.3.2 Quorum sensing	8
2.3.3 Biofilm Matrix	11
3 Kinetic viability assay	23
3.1 Abstract	23
3.2 Background	24
3.3 Methods	26
3.3.1 Bacteria	26
3.3.2 Growth curve measurements	27
3.3.3 Viability assay	27
3.3.4 Ellipsometry	27
3.3.5 Image segmentation and quantification	28

Contents

3.4	Results	28
3.4.1	Impact of SYTO 9 and propidium iodide concentrations on the growth of suspended <i>E. coli</i>	28
3.4.2	Viability and growth rate of surface-adhering <i>E. coli</i> is strongly reduced upon long-term incubation in culture medium supplemented with SYTO 9	30
3.4.3	Pre-incubation of bioactive DMOAC surfaces with serum proteins completely blocked the antimicrobial activity and restored bacterial growth on the surface	32
3.5	Discussion	32
3.6	Conclusions	36
4	Bacterial surface colonization	45
4.1	Abstract	45
4.2	Introduction	46
4.3	Materials and Methods	47
4.3.1	Bacteria	47
4.3.2	Preparation of adhesive glycoprotein patterns and un-patterned adhesive surfaces	48
4.3.3	Parallel plate flow chamber experiments	48
4.3.4	Microscopy	49
4.3.5	Data analysis	49
4.4	Results	51
4.4.1	Increasing distances of adhesive spots inhibit the formation of a confluent layer of non-filamentous <i>E. coli</i>	51
4.4.2	<i>E. coli</i> filamentation accelerates bridging of non-adhesive areas	54
4.4.3	Filament bridges disintegrate when removing cephalixin from the medium	55
4.4.4	A computational model of bacterial surface colonization predicts a kinetic advantage of filaments when colonizing passivated surfaces that contain adhesive spots	55
4.5	Discussion	60
4.6	Conclusion	63
5	Biofilm matrix rescues quorum sensing under flow	71
5.1	Abstract	71
5.2	Introduction	72
5.3	Materials and methods	73
5.3.1	Bacterial strains and media	73
5.3.2	Construction of quorum sensing circuits	73

5.3.3	QS reporter validation of the constructed circuits on solid agar medium	74
5.3.4	Flow chamber assays	74
5.3.5	Microscopy techniques	75
5.4	Results	75
5.4.1	Characterization of the engineered quorum sensing reporter strains and the dose response of the HSL inducer molecules	75
5.4.2	QS is independent of EPS matrix in agar grown colonies	78
5.4.3	QS is independent of EPS matrix in quiescent liquid cultures	78
5.4.4	<i>P. aeruginosa</i> is able to quorum sense under flow	79
5.4.5	Addition of exogenous inducer molecule allows the <i>E. coli</i> QS reporter strain to quorum sense under flow	80
5.5	Discussion	82
5.6	Conclusion	84
6	Outlook	91
6.1	Future directions	92
6.2	Closing remarks	93
	Appendix	97
1	QS reporter system in <i>E. coli</i>	97
2	A Method for estimating biomass in flow channels	98
3	The influence of flow velocity on gene expression	100
4	The influence of the <i>lasI</i> gene product on <i>psl</i> expression in <i>P. aeruginosa</i>	102
5	Subcloning the <i>fim</i> -cluster from pSH2 into pBR322	102
6	Stamping bacteria on glass surfaces	104
7	Co-cultivation of <i>P. aeruginosa</i> and <i>E. coli</i> C12-HSL receiver	104
8	Vector map of pMG401	107
	Acknowledgments	111
	Curriculum Vitae	113