

Table of Contents

Acknowledgments	iii
Abstract	v
Zusammenfassung	viii
1 Introduction	18
1.1 Brief Overview and Motivation	18
1.1.1 Carbon nanotubes	18
1.1.2 Carbon nanotube membranes	21
1.1.3 Enhanced mass transport inside a CNT	25
1.2 Objectives	27
1.3 Thesis Structure	28
2 Rational Catalyst Design for the Diameter Controlled Growth of VACNTs	32
2.1 Background Knowledge	32
2.1.1 Catalysts for CNT growth via CVD.....	32
2.1.2 Chemical and physical states of catalyst particles	33
2.1.3 Catalytic activity of metal nanoparticles	35
2.1.4 Supported metal nanoparticle catalysts.....	37
2.1.5 Diameter modulation by catalyst design.....	40
2.2 Size-engineered, Alumina-supported Fe Catalysts.....	43
2.2.1 Brief description of section 2.2.....	43
2.2.2 Experimental details: catalyst deposition & CCVD.....	43
2.2.3 Catalyst analysis techniques: AFM and XPS	45
2.2.4 Diameter modulation of VA-SWCNTs.....	46
2.2.5 Growth kinetics of VA-SWCNTs	52
2.2.6 Diameter increase in millimeter-tall VA-SWCNTs	53

2.2.7	Surface analytical studies on catalyst evolution	56
2.2.8	Effect of CVD temperature on diameter modulation....	60
2.2.9	Effect of $P_{C_2H_2}$ on diameter modulation	61
2.2.10	Summary.....	64
2.3	Synergistic Effect of Mo Addition on the Fe Catalyst	65
2.3.1	Brief description of section 2.3.....	65
2.3.2	Previous studies on Fe-Mo bimetallic catalysts	65
2.3.3	Experimental details: catalyst deposition & CCVD.....	66
2.3.4	Catalyst analysis techniques: AFM and XPS	67
2.3.5	Catalytic performance of bimetallic catalysts in the growth of VACNTs: Fe-on-Mo versus Mo-on-Fe Types	68
2.3.6	Catalytic evolution of Fe-Mo bimetallic catalysts	72
2.3.7	Influence of catalyst evolution on the diameter control of resultant VACNTs	79
2.3.8	Influence of catalyst evolution on the alignment of resultant VACNTs	82
2.3.9	Summary.....	85
2.4	Bimetallic Catalyst Particle Formation from a Layered Fe-Mo- Al_2O_3 catalyst	86
2.4.1	Brief description of section 2.4.....	86
2.4.2	Motivation: Is an ultrathin catalyst a must for the growth of small diameter VA-SWCNTs?	86
2.4.3	Experimental details: catalyst deposition & CCVD.....	88
2.4.4	Optimization of CVD parameters for the growth of VA- SWCNTs from the newly designed 30-nm-thick Fe-Mo- Al_2O_3 trilayer catalyst	89
2.4.5	Catalyst analysis techniques: AFM, ToF-SIMS, FIB, and TEM	94
2.4.6	4-inch wafer scale production of small diameter VA- SWCNTs from Fe-Mo- Al_2O_3 trilayer catalyst	95

2.4.7	Mechanism of catalyst formation on Fe-Mo-Al ₂ O ₃ trilayer catalyst	96
2.4.8	Summary	101
3	Parameter Optimization of CVD Process for Control over the Growth Dynamics and Structural Properties of VA-SWCNTs	104
3.1	Background Knowledge	104
3.1.1	CVD process variables; incompletely known	105
3.1.2	Carbon precursors.....	106
3.1.3	Precursor gas chemistry	108
3.1.4	Acetylene: a key carbon precursor	110
3.1.5	Catalyst pretreatment	113
3.1.6	Temperature and gas pressure	118
3.2	Description of Thermal CVD System	125
3.3	Temperature Gradient CVD (TGCVD).....	127
3.3.1	Brief description of section 3.3.....	127
3.3.2	Motivation: does precursor gas chemistry have an impact on the growth of VACNTs in acetylene based CVD?.....	128
3.3.3	Temperature distribution of the gas phase	130
3.3.4	Growth of VACNTs via TGCVD process	134
3.3.5	Structural properties of TGCVD-grown VACNTs	136
3.3.6	Segmentation of gas phase temperature	139
3.3.7	Identifying the important temperature zone for gas phase reaction and the pyrolysis products	141
3.3.8	Role of thermal treatment of C ₂ H ₂ precursor gas in TGCVD growth of VACNTs	144
3.3.9	Summary.....	147
3.4	Key Factors Affecting the Structural Properties and the Growth Dynamics of VA-SWCNTs.....	148

3.4.1	Brief description of section 3.4.....	148
3.4.2	$P_{C_2H_2}$ dependence of the growth of VA-SWCNTs.....	148
3.4.3	CCVD temperature dependence of the growth of VA-SWCNTs.....	155
3.4.4	Growth (Annealing) Time dependence of the growth rate and diameter distribution of VA-SWCNTs.....	163
3.4.5	Catalyst pretreatment with H_2	167
3.4.6	Summary.....	170
3.5	CVD parameter window of the average diameter controlled growth of VA-SWCNTs for membrane applications.....	171
4	Investigation of Mass Transport in SWCNT Membranes	176
4.1	Brief description of section 4.....	176
4.2	Requirements for VACNTs in CNT Nanofluidics.....	177
4.3	Motivation: Previous reports on CNT membrane fabrication and relevant technical issues.....	180
4.4	Fabrication of VA-SWCNT Membrane.....	188
4.4.1	New fabrication procedure.....	189
4.4.2	Step 1-3: Preparation of VACNTs on a patterned membrane support.....	191
4.4.3	Step 4: Mechanical reinforcement of VACNTs by a conformal ALD coating.....	194
4.4.4	Step 5-A: Gap filling with polyethylene.....	203
4.4.5	Step 5-B: Void-free region of VACNTs excessively coated with alumina layers using ALD.....	208
4.4.6	Step 6: Etching processes for membrane opening.....	210
4.4.7	Run sheet: CNT membrane fabrication.....	219
4.5	Characterization of membrane properties.....	222
4.5.1	How to confirm the membrane opening.....	222
4.5.2	CNT membrane or nanoporous membrane?.....	224

4.5.3	Properties of as-fabricated SWCNT membranes	228
4.6	Mass transport through the VA-SWCNT membrane	234
4.6.1	Background Knowledge	234
4.6.2	Gas transport experiments.....	247
4.6.3	Water transport experiments.....	258
4.7	Summary	267
5	Epilogue	270
5.1	Key contributions of this work	270
5.2	Outlook	274
Appendix	278
A.1	Techniques for catalyst surface analysis	278
AFM, Atomic Force Microscopy		278
XPS, X-ray Photoelectron Spectroscopy		279
SIMS, Secondary Ion Mass Spectroscopy		281
A.2	Techniques for CNT characterization.....	283
SEM, Scanning Electron Microscopy		283
Raman Spectroscopy		284
TEM, Transmission Electron Microscopy.....		285
A.3	Symbols and abbreviations	287
Curriculum Vitae	291
Publications	293
Bibliography	297