

# Contents

<b>List of Figures</b>	<b>xiv</b>
<b>List of Tables</b>	<b>xx</b>
<b>1 City Modelling: applications, methods and challenges</b>	<b>1</b>
1.1 Architecture and Urbanism . . . . .	1
1.2 Digital fabrication . . . . .	3
1.3 Maps . . . . .	4
1.4 Film and video games . . . . .	6
1.5 Cultural heritage . . . . .	7
1.6 Challenges in City Modelling . . . . .	8
1.7 Contributions . . . . .	9
1.8 Overview . . . . .	10
<b>2 A language for architecture</b>	<b>11</b>
2.1 3D data acquisition . . . . .	11
2.1.1 LiDAR vs. Structure-from-Motion . . . . .	11
2.2 Airborne vs. Ground imagery . . . . .	13
2.2.1 Picture acquisition . . . . .	13
2.3 From visual realism to abstraction . . . . .	13
2.4 A language for architecture . . . . .	14
2.4.1 Architectural theory . . . . .	14
2.4.2 Computational design . . . . .	16
2.4.3 Shape grammars . . . . .	17
2.4.4 L-systems . . . . .	19
2.4.5 Split grammars . . . . .	20
2.5 CGA shape grammars . . . . .	21
2.5.1 Properties . . . . .	22
2.5.2 Syntax . . . . .	22
2.5.3 Shape . . . . .	22
2.5.4 Operations . . . . .	22
2.5.5 Derivation tree . . . . .	23

2.5.6 CGA example . . . . .	23
2.6 GML . . . . .	24
<b>3 Approach</b>	<b>25</b>
3.1 Pre-processing steps . . . . .	25
3.1.1 Style detection . . . . .	25
3.1.2 Facade extraction . . . . .	25
3.2 Top-down vs. bottom-up . . . . .	25
3.3 Pipeline . . . . .	27
<b>4 Style recognition</b>	<b>29</b>
4.1 Introduction . . . . .	29
4.1.1 Related work . . . . .	30
4.2 System overview . . . . .	31
4.3 Scene classification . . . . .	31
4.3.1 Scene classes . . . . .	32
4.3.2 Feature extraction and classification . . . . .	32
4.3.3 Results . . . . .	33
4.4 Image rectification . . . . .	33
4.5 Facade splitting . . . . .	35
4.5.1 Line segment detection and grouping . . . . .	35
4.5.2 Vertical line sweeping . . . . .	36
4.5.3 Results . . . . .	36
4.6 Style classification . . . . .	37
4.6.1 NBNN algorithm . . . . .	38
4.6.2 Results . . . . .	38
4.7 Conclusion and future work . . . . .	39
<b>5 Facade segmentation</b>	<b>41</b>
5.1 Introduction . . . . .	41
5.2 Related Work . . . . .	43
5.3 Datasets description . . . . .	44
5.4 Bottom Layer: Recursive Neural Network for Semantic Segmentation	45
5.5 Middle Layer: Introducing Objects Through Detectors . . . . .	48
5.6 Top Layer: Weak Architectural Principles . . . . .	50
5.6.1 Parameters . . . . .	52
5.7 Results . . . . .	52
5.8 Conclusion and future work . . . . .	54
<b>6 Learning Where To Classify In Multi-View Semantic Segmentation</b>	<b>55</b>
6.1 Introduction . . . . .	55
6.2 Related Work . . . . .	57
6.3 3D Surface and Semantic Classification . . . . .	60

6.3.1	Multi-View Surface Reconstruction . . . . .	60
6.3.2	Heavy vs. Light Features for Semantic Labelling . . . . .	60
6.3.3	Multi-View Optimization For 3D Surface Labelling . . . . .	61
6.4	Multi-view Observation Importance . . . . .	63
6.4.1	Ranking Observations by Importance . . . . .	63
6.4.2	Reducing View Redundancy and Scene Coverage . . . . .	64
6.5	Experimental Evaluation . . . . .	65
6.5.1	Single Discriminative Views - Zero Redundancy . . . . .	67
6.5.2	Reduction of Scene Coverage . . . . .	69
6.6	Conclusions . . . . .	69
<b>7</b>	<b>Rules for reconstructions</b>	<b>71</b>
7.1	Introduction . . . . .	71
7.2	Related work . . . . .	73
7.3	Main system components . . . . .	74
7.3.1	Grammar Interpreter . . . . .	75
7.3.2	Asset detector . . . . .	78
7.3.3	3D reconstruction module . . . . .	78
7.3.4	Vision module . . . . .	79
7.4	Grammar attribute estimation . . . . .	83
7.5	Case Study - Doric Temples . . . . .	84
7.5.1	Asset Detectors . . . . .	84
7.5.2	Temple Grammar . . . . .	84
7.5.3	Results . . . . .	85
7.6	Conclusion and Future Work . . . . .	85
<b>8</b>	<b>Grammatical inference</b>	<b>87</b>
8.1	Introduction . . . . .	87
8.2	Related work . . . . .	89
8.3	Approach . . . . .	90
8.3.1	Shape grammars for architecture . . . . .	90
8.3.2	What makes a good grammar? . . . . .	91
8.3.3	Façade parse tree generation . . . . .	92
8.4	Optimization of Shape Grammars . . . . .	94
8.4.1	Grammatical inference . . . . .	94
8.4.2	Compression . . . . .	96
8.4.3	Comparing façades . . . . .	96
8.4.4	Virtual façade synthesis . . . . .	97
8.5	Evaluation . . . . .	97
8.5.1	Experimental setup . . . . .	97
8.5.2	Losslessness and computational cost . . . . .	98
8.5.3	Compression . . . . .	99

8.5.4	Façade comparison . . . . .	99
8.5.5	Virtual façade synthesis . . . . .	100
8.6	Conclusion . . . . .	101
<b>9</b>	<b>Next generation navigation</b>	<b>103</b>
9.1	Introduction . . . . .	103
9.2	Related work . . . . .	105
9.3	Approach Overview . . . . .	107
9.4	What makes a facade unique? . . . . .	108
9.4.1	Notations . . . . .	109
9.4.2	Features . . . . .	109
9.4.3	Outlier detections . . . . .	111
9.4.4	Mapping to the human perceptual space . . . . .	112
9.4.5	Clustering . . . . .	114
9.5	Experimental Evaluation . . . . .	114
9.5.1	Special facade mining . . . . .	116
9.5.2	Perceptual study for characterization . . . . .	117
9.5.3	Facade characterization . . . . .	117
9.6	Conclusion . . . . .	118
<b>10</b>	<b>Conclusion</b>	<b>121</b>
10.1	The logic of architecture . . . . .	121
10.2	Grammars as compression-based models . . . . .	122
10.3	Outlook . . . . .	122