

Contents

Contents	i
List of Figures	v
List of Tables	xi
List of Abbreviations	xv
Abstract	xvii
Zusammenfassung	xix
Danksagung	xxi
1 Summarizing overview	1
1.1 Introduction	1
1.2 Methods	5
1.2.1 Study site	7
1.2.2 Study design	11
1.2.3 Chemical analysis	14
1.2.4 Calculations	17
1.2.5 Statistical analysis	20
1.3 Results	21
1.3.1 More efficient aboveground nitrogen use in more diverse Central European forest canopies (Chapter 2)	21
1.3.2 Drivers of nitrogen leaching from organic layers in Central European beech forests (Chapter 3)	22
1.3.3 Abiotic and biotic controls of the dissolved P cycle in Central European beech forests (Chapter 4)	24
1.4 Discussion	25
1.4.1 Nitrogen cycling in Central European forests	25

1.4.2	Phosphorus cycling in Central European forests	29
1.4.3	Perspectives of N and P cycling in Central European forests	31
1.4.4	Error discussion	34
1.5	General conclusions	37
1.6	Author contributions	38
1.7	References	39
2	More efficient aboveground nitrogen use in more diverse Central European forest canopies	59
2.1	Abstract	60
2.2	Introduction	60
2.3	Materials and methods	63
2.3.1	Study site	63
2.3.2	Sampling and chemical analysis	65
2.3.3	Forest and vegetation properties	66
2.3.4	Calculations and statistics	67
2.4	Results	69
2.4.1	Total N fluxes and differences among regions	69
2.4.2	Effects of forest type and stand density	71
2.4.3	Influence of plant diversity	72
2.5	Discussion	72
2.5.1	Effects of region and forest management intensity on canopy N retention	72
2.5.2	The role of plant diversity for canopy N retention	75
2.6	Conclusions	78
2.7	Acknowledgements	78
2.8	References	78
3	Drivers of nitrogen leaching from organic layers in Central European beech forests	85
3.1	Abstract	86
3.2	Introduction	86
3.3	Materials and methods	88
3.3.1	Site description	88
3.3.2	Sampling and chemical analysis	89
3.3.3	Forest and vegetation properties, arthropod biomass and organic layer properties	90
3.3.4	Calculation of water and element fluxes	92

3.3.5	Statistics	93
3.4	Results	94
3.4.1	Annual and regional variation of gross and net fluxes of dissolved N	94
3.4.2	Factors influencing gross and net fluxes of dissolved N	97
3.5	Discussion	100
3.5.1	Throughfall N retention and N release from organic layers	100
3.5.2	Functional relationship between plants and dissolved N fluxes	102
3.5.3	Effects of soil fauna on N fluxes	105
3.6	Conclusions	106
3.7	Acknowledgements	107
3.8	References	107
4	Abiotic and biotic controls of the dissolved P cycle in Central European beech forests	115
4.1	Abstract	116
4.2	Introduction	116
4.3	Materials and methods	118
4.3.1	Study site	118
4.3.2	Sampling and chemical analysis	119
4.3.3	Calculations	122
4.3.4	Statistics	124
4.4	Results	125
4.4.1	Dissolved P fluxes in beech forests	125
4.4.2	Reactive P fluxes as related to weather conditions	126
4.4.3	Other controls of reactive P fluxes	129
4.5	Discussion	130
4.5.1	Dissolved P fluxes in beech forests	130
4.5.2	Reactive P fluxes as related to weather conditions	135
4.5.3	Other controls of reactive P fluxes	136
4.6	Conclusions	138
4.7	Acknowledgements	139
4.8	References	140
	Appendices	147
A	Data appendix	147
A.1	Contents of the attached CD	147

B Properties of dissolved and total organic matter in throughfall, stemflow and forest floor leachate of Central European forests	161
B.1 Abstract	162
C Response of Al concentrations and speciation in soil solution to Ca amendment in a tropical montane forest in southern Ecuador	163
C.1 Abstract	164
Erklärung	167
Curriculum Vitae	169