Contents

Acknowledgements i

Abstract (English/Français) iii

List of figures xi

List of tables xv

Introduction 1

1 Background and Motivation 3
- 1.1 Background . . . 3
- 1.2 Applications . . . 4
- 1.3 Challenges . . . 5
- 1.4 Generic architecture . . . 6
- 1.5 Contributions of this thesis . . . 8

2 State of the art 11
- 2.1 Sensing platforms . . . 11
  - 2.1.1 Dedicated Hardware . . . 11
  - 2.1.2 Smartphones . . . 12
- 2.2 Sensor abstraction . . . 13
  - 2.2.1 Sensor scheduling . . . 16
- 2.3 Context inference . . . 18
  - 2.3.1 Activity recognition . . . 19
  - 2.3.2 Location . . . 21
  - 2.3.3 Environment . . . 23
  - 2.3.4 Proximity . . . 25
  - 2.3.5 Health . . . 28
- 2.4 Sensor fusion . . . 31

3 Collaborative sensing 33
- 3.1 Introduction . . . 33
- 3.2 Related Work . . . 35
  - 3.2.1 Centralized coordination . . . 35

Eberle, Julien 1986- (DE-588)1078779228
Energy-efficient continuous context sensing on mobile phones
2015

digitalisiert durch
IDS Basel/Bern, im Auftrag der
Schweizerischen Nationalbibliothek

3.2.2 Opportunistic collaboration . . . 35
3.2.3 Ad-hoc coordination . . . 36
3.2.4 Fairness . . . 36
3.3 Problem Formulation . . . 37
3.3.1 General definitions . . . 37
3.3.2 Specific instance . . . 38
3.4 Opportunistic Strategy . . . 40
3.4.1 Base-strategy . . . 40
3.4.2 Synchronization . . . 40
3.4.3 Time-window . . . 41
3.4.4 Parameters selection . . . 43
3.5 Theoretical Optimum . . . 43
3.5.1 Definitions . . . 45
3.5.2 Competitive analysis . . . 47
3.6 Evaluation . . . 48
3.6.1 Dataset descriptions . . . 48
3.6.2 Results . . . 51
3.7 Conclusion . . . 55

4 Optimal Sampling **57**
4.1 Introduction . . . 57
4.2 Related Work . . . 58
4.2.1 Sensor Placement in WSN . . . 58
4.2.2 Sensing from Mobile Sensors . . . 58
4.2.3 Time series segmentation . . . 59
4.3 Two-Tier Optimal Mobile Sensing . . . 59
4.3.1 Problem Statement . . . 60
4.3.2 Near-Optimal Segmentation . . . 60
4.3.3 Near-Optimal Sampling . . . 63
4.4 Experimental Evaluations . . . 66
4.4.1 Segmentation Results . . . 67
4.4.2 Sampling Results . . . 68
4.4.3 Near-Optimal Combination . . . 71
4.5 Conclusion . . . 71

5 State identification **73**
5.1 Introduction . . . 73
5.1.1 Solution overview . . . 75
5.2 Related Work . . . 76
5.2.1 Time series segmentation . . . 76
5.2.2 Online frequent pattern mining . . . 77
5.2.3 Time series subsequences clustering . . . 77
5.2.4 Time series features extraction . . . 78

5.3 State-Preserving Symbolic Representation 79
5.3.1 State Preservation Index 79
5.3.2 The Spclust Algorithm 81
5.3.3 Run Length Encoding 82
5.4 The StateFinder Algorithm 82
5.4.1 Overview 82
5.4.2 Segmentation 83
5.4.3 Clustering 86
5.4.4 Improving segmentation accuracy 87
5.4.5 Reverting States 88
5.5 Applications 89
5.5.1 State Anomaly Detection 89
5.5.2 State Forecasting 90
5.5.3 Data Compression 90
5.6 Experiments 91
5.6.1 State Preservation Index 91
5.6.2 State Recognition 93
5.6.3 State Forecasting 94
5.6.4 State Anomaly Detection 96
5.6.5 Running Time 96
5.7 Conclusion 97

6 Application example: Air pollution exposure estimation for personalized health 99
6.1 Introduction 99
6.2 Related Work 100
6.2.1 Assessing pollution exposure 100
6.2.2 Personal monitoring devices 101
6.3 System architecture 102
6.4 Personal Sensing Device 103
6.4.1 Hardware 103
6.4.2 Software 104
6.5 Aggregation Server 105
6.6 Sensor Fusion 107
6.6.1 Activity and breathing 107
6.6.2 Location 108
6.6.3 Pollution concentration 108
6.6.4 Pollution exposure 109
6.7 Experiments 109
6.7.1 GSN server 109
6.7.2 tinyGSN 110
6.8 Discussion 111

7 Conclusion 113
7.1 Future directions 114

Bibliography 149

Curriculum Vitae 151