

# Contents

<b>Summary</b>	<b>iii</b>
<b>Zusammenfassung</b>	<b>v</b>
<b>1 General introduction</b>	<b>1</b>
1.1 Anthropogenic greenhouse gases . . . . .	1
1.2 Agricultural sources and sinks of greenhouse gases . . . . .	3
1.3 Measurement methods for agricultural greenhouse gas exchange . . . . .	4
1.3.1 Individual animal measurements . . . . .	4
1.3.2 Ecosystem measurements . . . . .	5
1.4 Objectives of the doctoral thesis . . . . .	6
<b>2 The eddy covariance method and the application in this project</b>	<b>9</b>
2.1 Methodological basics . . . . .	9
2.1.1 Flux determination . . . . .	9
2.1.2 Flux footprint concept . . . . .	13
2.2 Measurement setup . . . . .	16
2.2.1 Eddy covariance system . . . . .	16
2.2.2 Animal position tracking . . . . .	17
2.2.3 Mastication monitoring . . . . .	20
2.3 Partitioning of measured fluxes . . . . .	21
2.3.1 Effect of cows on concentrations and fluxes . . . . .	21
2.3.2 Partitioning principle . . . . .	22
2.3.3 Partitioning of CH <sub>4</sub> fluxes . . . . .	23
2.3.4 Partitioning of CO <sub>2</sub> fluxes . . . . .	24
2.3.4.1 Nighttime fluxes . . . . .	25
2.3.4.2 Daytime fluxes . . . . .	26
2.3.4.3 Cow respiration . . . . .	27
2.4 Cow activity on the pasture . . . . .	28
2.4.1 Resolving cow activity in space and time . . . . .	28
2.4.2 Combining cow activity and CH <sub>4</sub> emission measurements . . . . .	30

<b>3</b>	<b>Eddy covariance methane flux measurements over a grazed pasture: Effect of cows as moving point sources</b>	<b>31</b>
3.1	Introduction	32
3.2	Material and methods	33
3.2.1	Study site and grazing management	33
3.2.2	Eddy covariance measurements	35
3.2.2.1	Instruments and setup	35
3.2.2.2	Flux calculation	36
3.2.2.3	Detection limit and flux quality selection	38
3.2.3	GPS method for deriving animal CH <sub>4</sub> emission	40
3.2.3.1	Animal position tracking	40
3.2.3.2	Footprint calculations	41
3.2.3.3	Calculation of average cow emission	42
3.2.4	PAD method for deriving animal CH <sub>4</sub> emission	43
3.2.4.1	Footprint calculation for paddocks	43
3.2.4.2	Determination of average cow emission	44
3.2.5	FIELD method for deriving animal CH <sub>4</sub> emission without position information	44
3.3	Results	44
3.3.1	Methane fluxes with and without cows	44
3.3.2	Footprints and cow influence	46
3.3.2.1	Roughness length	46
3.3.2.2	Footprint weights of cows and paddocks	47
3.3.3	Methane emissions per cow	48
3.3.3.1	Overall statistics	48
3.3.3.2	Diurnal variations	49
3.4	Discussion	49
3.4.1	Flux data availability and selection	49
3.4.2	Source distance effect and footprint uncertainty	51
3.4.3	Comparison to published respiration chamber results	52
3.4.4	Systematic and random-like variations of cow emission	53
3.4.5	Relevance of cow position information	54
3.5	Conclusions	56
<b>4</b>	<b>Discerning the cows from the pasture: Quantifying and partitioning the NEE of a grazed pasture using animal position data</b>	<b>59</b>
4.1	Introduction	60
4.2	Material and methods	62
4.2.1	Study site and herd management	62
4.2.2	Instruments and setup	63
4.2.2.1	Flux measurements	63
4.2.2.2	Animal position tracking	64
4.2.2.3	Ancillary measurements	64
4.2.3	Flux calculation and selection	65
4.2.4	NEE gap filling, partitioning, and uncertainty	65

4.2.5	Cow related flux contribution and animal emission . . . . .	68
4.3	Results and discussion . . . . .	69
4.3.1	Environmental conditions and grazing management . . . . .	69
4.3.2	NEE with and without cow influence . . . . .	70
4.3.3	Partitioning into R and GPP . . . . .	73
4.3.4	Effect of grazing on vegetation height and GPP . . . . .	74
4.3.5	Animal respiration . . . . .	77
4.3.5.1	Emission per cow . . . . .	77
4.3.5.2	Field-scale cow respiration flux . . . . .	78
4.3.6	Implications for NEE evaluation of grazed pastures . . . . .	79
4.4	Conclusions . . . . .	80
<b>5</b>	<b>Determination of the carbon budget of a pasture: Effect of system boundaries and flux uncertainties</b>	<b>83</b>
5.1	Introduction . . . . .	84
5.2	Material and methods . . . . .	85
5.2.1	Study site . . . . .	85
5.2.2	Carbon budget concept . . . . .	86
5.2.3	Determination of area-related fluxes . . . . .	88
5.2.3.1	CO <sub>2</sub> fluxes . . . . .	88
5.2.3.2	CH <sub>4</sub> fluxes . . . . .	88
5.2.3.3	Fertilizer application . . . . .	89
5.2.4	Determination of animal-related fluxes . . . . .	89
5.2.4.1	Products . . . . .	89
5.2.4.2	Feed intake . . . . .	90
5.2.4.3	Excreta . . . . .	91
5.2.5	Greenhouse gas budget . . . . .	91
5.3	Results and discussion . . . . .	92
5.3.1	Carbon budget of the dairy cows . . . . .	92
5.3.2	Carbon budget of the pasture system . . . . .	93
5.3.3	Applicability of the NECB approaches . . . . .	96
5.3.4	Greenhouse gas budget of the dairy cow pasture . . . . .	97
5.4	Conclusions . . . . .	98
<b>6</b>	<b>General conclusions</b>	<b>101</b>
6.1	Synthesis . . . . .	101
6.2	Outlook . . . . .	103
	<b>References</b>	<b>xi</b>
	<b>List of abbreviations and symbols</b>	<b>xxi</b>
	<b>Acknowledgements</b>	<b>xxvii</b>
	<b>Curriculum vitæ</b>	<b>xxix</b>