

Contents

Abstract	I
Zusammenfassung	III
Acknowledgements	V
List of Figures	XIII
List of Tables	XVII
1 Introduction	1
1.1 Mammalian bioprocess optimization	1
1.2 N-linked glycosylation	3
1.3 Scope of the work	3
1.4 Nomenclature	6
2 Experimental Determination of Maximum Effective Hydrodynamic Shear Stress in Multiphase Flow	7
2.1 Introduction	7
2.2 Materials and methods	9
2.2.1 Primary nanoparticle synthesis	9
2.2.2 Stirred tank geometry	9
2.2.3 Small-angle light scattering	10
2.2.4 Aggregation and breakup experiments	11
2.2.5 Relation between aggregate size and maximum effective stress . .	13
2.3 Results and discussion	16
2.3.1 Steady state cluster size and cluster morphology	16
2.3.2 Aggregate size calibration	18
2.3.3 Effect of process conditions on aggregates size	20

CONTENTS

2.3.4	Maximum effective hydrodynamic stress	24
2.4	Conclusion	26
2.5	Nomenclature	29
3	Experimental and CFD Characterization of Small and Large Scale Animal Cell Bioreactors	31
3.1	Introduction	31
3.2	Materials and methods	33
3.2.1	Stirred tank geometry	33
3.2.2	Experimental determination of maximum hydrodynamic stress .	34
3.2.3	Experimental determination of mixing time	36
3.2.4	Experimental determination of gas mass transfer coefficients . .	36
3.2.5	Experimental determination of dissolved oxygen gradients . . .	37
3.3	Computational fluid dynamics	37
3.3.1	Hydrodynamic shear stress distribution	38
3.3.2	Particle trace simulations	39
3.3.3	Local mass transfer coefficients	40
3.3.4	Population balance modeling	41
3.4	Results	42
3.4.1	Comparison between measured and calculated shear stress . . .	42
3.4.2	Comparison between measured and calculated mixing time . . .	44
3.4.3	Comparison between measured and calculated mass transfer co- efficient	46
3.5	Discussion	49
3.6	Conclusion	51
3.7	Nomenclature	52
4	High-Throughput Profiling of Intracellular Nucleotides and Nucleotide Sugars	55
4.1	Introduction	55
4.2	Materials and methods	58
4.2.1	Cell culture conditions	58
4.2.2	Analytical methods for cell culture and product quality analysis	59
4.2.3	Extraction of intracellular nucleotides and nucleotide sugars . . .	60
4.2.4	MALDI-TOF-MS	60
4.3	Results and discussion	61

4.3.1	Process performance	61
4.3.2	Intracellular components	64
4.3.3	Effect of supplementation on intracellular concentration and N-linked glycosylation	67
4.4	Discussion	71
4.5	Conclusion	72
4.6	Nomenclature	73
5	Controlling the Time Evolution of mAb N-linked Glycosylation - Part I: Micro-bioreactor Experiments	75
5.1	Introduction	75
5.2	Materials and methods	78
5.2.1	Cell culture conditions	78
5.2.2	Analytical methods for cell culture and product quality analysis	78
5.2.3	Determination of intracellular nucleotides and nucleotide sugars .	80
5.2.4	Calculation of produced glycan pattern	80
5.3	Results	81
5.3.1	Time evolution of N-linked glycosylation	81
5.3.2	Modulation of N-linked glycosylation	83
5.3.3	Time evolution of intracellular nucleotide sugars	86
5.3.4	Dynamic control of N-linked glycosylation	89
5.4	Discussion	93
5.5	Conclusion	94
5.6	Nomenclature	96
6	Controlling the Time Evolution of mAb N-linked Glycosylation - Part II: Model-based Predictions	99
6.1	Introduction	99
6.2	Materials and methods	101
6.2.1	Micro-bioreactor experiments	101
6.2.2	Mathematical model	102
6.2.2.1	Unstructured cell culture model	103
6.2.2.2	Dynamic model of N-linked glycosylation	105
6.2.2.3	Parameter estimation strategy	108
6.3	Results	109
6.3.1	Model performance	109

CONTENTS

6.3.2	Predictive capability	116
6.4	Discussion	119
6.5	Conclusion	120
6.6	Nomenclature	122
7	Glycosylation Flux Analysis	125
7.1	Introduction	125
7.2	Materials and methods	127
7.2.1	Production of PDI in insect cells	127
7.2.2	PDI glycopeptide analysis	127
7.2.3	Production of mAb in mammalian cells	127
7.2.4	Antibody glycan analysis	128
7.3	Glycosylation flux analysis	128
7.4	Dynamic glycosylation flux analysis	129
7.5	Results	131
7.5.1	Site-specific microheterogeneity	131
7.5.2	Dynamic changes of microheterogeneity	134
7.6	Discussion	137
7.7	Conclusion	138
7.8	Nomenclature	139
8	Concluding Remarks	141
9	Appendix	143
9.1	Experimental determination of maximum effective hydrodynamic shear stress in multiphase flow	144
9.2	Experimental and CFD characterization of small and large scale animal cell bioreactors	147
9.2.1	Maximum effective shear stress	147
9.2.2	Coalescence frequency	147
9.2.3	Coalescence efficiency	148
9.2.4	Breakage frequency	148
9.2.5	Daughter distribution function (DDF)	149
9.2.6	Drag coefficient coupling	149
9.2.7	Bubble size at the sparger inlet	150
9.2.8	Numerical approach	150

9.3	High-throughput profiling of intracellular nucleotides and nucleotide sugars	152
9.4	Controlling the time evolution of mAb N-linked glycosylation - Part I: Micro-bioreactor experiments	161
9.5	Controlling the time evolution of mAb N-linked glycosylation - Part II: Model-based predictions	164
9.5.1	Parameter values for the mechanistic model of N-linked glycosylation	164
9.5.2	Derivation of manganese-dependent rate expression	164
9.5.3	Derivation of pH dependent rate expression	168
References		171
Curriculum Vitæ		188
Publications		190
Conference Proceedings		191