

---

# Contents

---

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Thesis layout . . . . .	4
<b>2</b>	<b>The physics of ion trapping</b>	<b>7</b>
2.1	Linear Paul trap . . . . .	7
2.2	Hamiltonian . . . . .	11
2.2.1	This work and analysis of motion . . . . .	14
2.3	Two-photon stimulated Raman transitions . . . . .	15
2.4	Final remarks . . . . .	17
<b>3</b>	<b>General experimental overview</b>	<b>19</b>
3.1	Trap . . . . .	19
3.2	Experimental setup overview . . . . .	20
3.3	Calcium and beryllium as qubits . . . . .	21
3.3.1	Calcium ion . . . . .	24
3.3.2	Beryllium ion . . . . .	24
3.4	Laser setups for transport experiments . . . . .	26
3.5	External Filters . . . . .	27
3.6	Experimental control . . . . .	28
3.7	Final remarks . . . . .	30
<b>4</b>	<b>Electronically Variable Interactive Lock-box</b>	<b>33</b>
4.1	Overview . . . . .	33
4.2	Development history . . . . .	34
4.3	Projects on the EVIL . . . . .	39
4.3.1	PI controller . . . . .	41
4.3.2	Pulse shaping . . . . .	43
4.4	Bitstream . . . . .	47
4.5	Software . . . . .	47
4.6	Future improvements and projects . . . . .	51

<b>5</b>	<b>Voltage sources</b>	<b>53</b>
5.1	Slow multi-channel device - AD5371 . . . . .	53
5.2	Other Technologies . . . . .	55
5.3	Considerations and requirements . . . . .	57
5.4	Hardware design - DEATH . . . . .	59
5.4.1	DACs . . . . .	60
5.4.2	Amplifiers . . . . .	62
5.4.3	FPGA . . . . .	62
5.4.4	Power . . . . .	63
5.4.5	External Clocking . . . . .	64
5.4.6	PCB . . . . .	64
5.5	Digital design - Bit stream . . . . .	65
5.5.1	Overview . . . . .	65
5.5.2	Transport core . . . . .	66
5.5.3	Bridge core . . . . .	69
5.5.4	DAC controller core . . . . .	69
5.6	Software design - Firmware . . . . .	70
5.6.1	On startup . . . . .	70
5.6.2	Communications . . . . .	70
5.6.3	Control . . . . .	71
5.6.4	Setup in Laboratory . . . . .	72
5.6.5	Calibration and results . . . . .	73
5.7	Future improvements and projects . . . . .	77
<b>6</b>	<b>Transport</b>	<b>79</b>
6.1	Adiabatic and diabatic transport . . . . .	79
6.2	Implementation of transport . . . . .	83
6.2.1	Electrode potentials . . . . .	84
6.2.2	Waveform generation . . . . .	85
6.2.3	Transport profile creation . . . . .	88
6.2.4	SVD, Tikhonov regularization and quadratic program- ming . . . . .	89
6.3	Heating due to transport . . . . .	93
6.4	Final remarks . . . . .	94
<b>7</b>	<b>Hamiltonian estimation</b>	<b>95</b>
7.1	Hamiltonian estimation method . . . . .	96
7.2	Transport dynamics . . . . .	97
7.2.1	Example dynamics . . . . .	98
7.3	Experimental sequence . . . . .	100
7.4	Results . . . . .	103
7.4.1	Single beam profile with two different velocity profiles .	106
7.5	Conclusion . . . . .	107

<b>8</b>	<b>Parallel transport logic gates</b>	<b>109</b>
8.1	General experimental implementation . . . . .	109
8.2	Rabi oscillations and Ramsey experiment . . . . .	110
8.3	Parallel transport quantum logic gates . . . . .	112
8.4	Conclusion . . . . .	116
<b>9</b>	<b>Summary and outlook</b>	<b>119</b>
9.1	Transport Molmer-Sorensen gate . . . . .	120
9.2	Randomized benchmarking of transport gates and more . . . .	120
9.3	Iterative learning control and Hamiltonian engineering . . . .	121
9.4	Ion conveyor, splitting and multi species transport . . . . .	121
<b>A</b>	<b>Abbreviations</b>	<b>125</b>
<b>B</b>	<b>Rotating frame and matrix exponential</b>	<b>127</b>
<b>C</b>	<b>Methods and tools for Hamiltonian estimation</b>	<b>129</b>
C.1	Basis spline curves . . . . .	129
C.2	Extending the Horizon Estimation . . . . .	130
C.3	Wavefront correction . . . . .	134
C.4	Error estimation . . . . .	135
<b>D</b>	<b>DEATH Schematics</b>	<b>139</b>
	<b>Bibliography</b>	<b>149</b>