

Table of contents

Thesis Summary7

Résumé de la thèse7

General Introduction

Plant defense against herbivores 9

 References 15

Plant defense against biotrophic pathogens..... 20

 References 26

Plant defenses against insect oviposition and insect eggs 29

 References 34

Hormones involved in plant defense..... 38

 References 43

Chapter 1

Egg-associated molecules are recognized by Arabidopsis thaliana..... 47

Abstract..... 48

Introduction..... 49

Results 51

 Role of triacylglycerol (TAG) and linalool-glycoside molecules as egg-derived elicitors 51

 Phospholipids from female *S. furcifera* do not induce a defense response in *Arabidopsis* 54

 A scale-up purification strategy revealed free fatty acids (FFAs) and a phosphatidylcholine family as potential egg-derived elicitors 55

 Egg-derived free fatty acids (FFAs) induce a defense response in *Arabidopsis* 56

 Lecithins are present in *P. brassicae* eggs and induce plant defenses 58

Discussion 61

Material and Methods 64

 Plant and insect growth conditions 64

 Treatments with egg- or lipid extract and chemicals 64

 Extraction of total egg lipids..... 64

 Quantitative real-time PCR analysis..... 64

 Histochemical staining..... 64

 Purification methods and settings 65

 Solid-phase Extraction (SPE) 65

 Semi preparative high performance liquid chromatography (HPLC)..... 65

Ultra High Performance Liquid Chromatography – Time-of flight mass spectrometry (UHPLC-TOFMS)	65
Nuclear magnetic resonance (NMR)	65
Supplementary Data	66
References	67

Chapter 2

<i>Plant lipases and their involvement in Egg Associated Molecular Pattern (EAMP)-triggered immunity.....</i>	71
Abstract.....	72
Introduction.....	73
Results	76
Plant lipases are not involved in oviposition-induced defense response in <i>Arabidopsis</i> by processing egg-derived lipids	76
Key components for systemic acquired resistance (SAR) do not play an important role to promote a local defense response in <i>Arabidopsis</i> after egg extract treatment	78
Discussion	79
Materials and Methods	81
Plant and insect growth conditions	81
Treatment with egg extracts	81
Quantitative real-time PCR analysis.....	81
References	82
Supplemental Data	85

Chapter 3

<i>Arabidopsis MYC Transcription Factors Are the Target of Hormonal SA/JA Crosstalk in Response to Pieris brassicae Egg Extract</i>	86
Abstract.....	87
Introduction.....	88
Results	91
Egg-Induced Suppression of the JA Pathway Is Independent of ORA59 but Requires NPR1 and EIN2.....	91
Egg-Induced SA/JA Antagonism Does Not Act Through JAZs and JAMs	96
Egg-Induced SA Modulates MYC2, MYC3, and MYC4 Accumulation.....	99
WRKY75 Regulates Egg-Induced SA/JA Crosstalk	103
Discussion	106
Material and Methods	112
Plant and Insect Growth Conditions	112

Crosstalk experiments	113
Quantitative Real-Time PCR	113
Protein Gel Blotting Analysis	114
Histochemical Staining	114
Accession Numbers.....	114
References	115
Supplemental Data	120
 General Discussion	
Insect egg-derived elicitors are perceived by plants and trigger plant immunity	122
Insect oviposition recruits the SA/JA crosstalk to suppress plant defense against herbivores in <i>Arabidopsis</i>	126
References	133
 Acknowledgements	138