

Contents

Acknowledgements	i
Abstract	iii
Résumé	v
List of acronyms and abbreviations	xi
List of figures	xv
List of tables	xvii
1 Introduction	1
2 Cosmology and gravitational lensing	3
2.1 Foundations of cosmology	4
2.1.1 Einstein field equations of General Relativity	4
2.1.2 The cosmological principle	4
2.1.3 The Friedmann-Lemaître-Robertson-Walker metric	6
2.1.4 Cosmological redshift	6
2.1.5 The Hubble constant and the deceleration parameter	7
2.1.6 The Friedmann-Lemaître equations	8
2.1.7 The content of the universe	9
2.2 Observational cosmology	12
2.2.1 Type Ia Supernovæ	12
2.2.2 The image of last scattering: Cosmic Microwave Background	13
2.2.3 Large-scale structures	14
2.2.4 A cosmological concordance model	15
2.2.5 Dark matter	16
2.2.6 Baryonic acoustic oscillations	17
2.2.7 Going beyond Λ CDM to explain dark energy?	18
2.3 Gravitational lensing effect	19
2.3.1 Light travelling in a gravitational field	19
2.3.2 The eclipse experiments	21
2.3.3 The dawn of gravitational lensing	21

2.3.4	The lens equation	22
2.3.5	Magnifying and distorting the source image	25
2.4	Weak gravitational lensing and its applications	26
2.4.1	The weak regime	26
2.4.2	The deflection angle for weak lensing	28
2.4.3	Reduced shear estimator from galaxy shapes	29
2.4.4	Mass map reconstruction	30
2.4.5	Decomposition in E- and B-modes	31
2.4.6	Lensing by large-scale structures	31
2.4.7	Contamination of the lensing signal by intrinsic alignment	35
2.4.8	Cluster lensing	36
2.4.9	Galaxy-galaxy lensing	36
2.4.10	Lensing by voids and filaments	37
2.4.11	CMB lensing	38
2.4.12	Flexion: powerful but infeasible?	38
2.5	Other gravitational lensing regimes	39
2.5.1	Strong lensing	39
2.5.2	Microlensing	41
3	Surveys and data analysis for weak gravitational lensing	43
3.1	The forward process	43
3.2	The inverse process	45
3.2.1	Estimators of shapes	45
3.2.2	Adversarial effects	48
3.2.3	Computational challenges	52
3.3	Weak lensing statistics	53
3.3.1	Second-order statistics	53
3.3.2	Higher order statistics	55
3.4	Weak lensing analysis pipeline	56
3.5	Weak lensing surveys	57
3.5.1	Challenges	57
3.5.2	Ground-based surveys	60
3.5.3	Space-based surveys	61
3.6	The <i>Euclid</i> mission	62
3.6.1	Scientific goals	62
3.6.2	Implementation of <i>Euclid</i>	64
3.6.3	Weak lensing survey	66
4	Machine-learning techniques	67
4.1	The turbulent rise of machine learning	68
4.1.1	Gradual evolution of the machine-learning approach	68
4.1.2	The early days	69
4.1.3	Modern machine learning	70

4.1.4	A golden age in the making?	71
4.2	A feel for machine learning	71
4.2.1	Least-square fitting	71
4.2.2	The curse of dimensionality	72
4.2.3	Principal Component Analysis	73
4.3	Artificial neural networks	77
4.3.1	Fundamentals	77
4.3.2	Optimisation of model parameters	79
4.3.3	Building an effective ANN	82
4.3.4	Convolutional neural networks	85
4.4	Random forests	87
4.4.1	Decision trees	87
4.4.2	Growing forests	87
4.5	ANNs for dimensionality reduction: auto-encoders	88
4.5.1	Learning the identity function	88
4.5.2	Application to MNIST	90
4.5.3	State-of-the-art improvements	93
4.6	Evaluating performances	95
4.6.1	Classification metrics	96
4.6.2	Regression metrics	97
5	Weak lensing measurements	99
5.1	The effect of unresolved binaries on PSF determination	100
5.1.1	Multiple stellar systems	100
5.1.2	Unresolved binaries-induced bias in PSF determination	102
5.1.3	Unresolved-binary bias in <i>Euclid</i> observations	107
5.1.4	<i>Paper I</i> : Evaluating the effect of stellar multiplicity on the PSF of space-based weak lensing surveys	109
5.1.5	Strategies for reducing the effect of unresolved binary bias	120
5.1.6	<i>Paper II</i> : Detecting unresolved binary stars in <i>Euclid</i> VIS images	130
5.2	Stellar spectral classification based on VIS images	141
5.2.1	Spectral type determination using single-band imaging	141
5.2.2	<i>Paper III</i> : Stellar classification from single-band imaging using machine learning	147
5.2.3	Predicting a colour-magnitude diagram from HST single-band data	159
5.3	PSF measurement and reconstruction	167
5.3.1	<i>Euclid</i> typical PSF and stellar population	167
5.3.2	Description of the approach	169
5.3.3	Quality metric evaluation	171
5.3.4	Auto-encoder architectures and PSF reconstruction	172
5.3.5	Development outlooks	177
5.4	A machine-learning technique for shape measurements	178

5.4.1	Early phases of the technique	178
5.4.2	Overview of the measurement concept	179
5.4.3	Designing an accurate regression estimator in the presence of feature noise	181
5.4.4	Input features and shape measurement	182
5.4.5	Methods for shear estimations	184
5.4.6	Galaxy image and PSF simulations	187
5.4.7	Summary of the results and lessons learned	189
5.4.8	<i>Paper IV: Weak-lensing shear measurement with machine learning: Teaching artificial neural networks about feature noise</i>	191
5.4.9	Outlooks	218
6	Finding galaxy-scale strong lenses	219
6.1	A data avalanche	219
6.2	Automated search methods	221
6.2.1	Early methods	221
6.2.2	Detecting strong lenses in upcoming surveys	222
6.3	Deep convolutional networks for SL detection	223
6.3.1	Strong lensing finding challenge	223
6.3.2	CNN architectures	224
6.3.3	Performance of the models and outlooks on future development	229
7	Conclusions and outlooks	231
	Bibliography	235
	Curriculum vitae	260