

# Contents

<b>Introduction</b>	<b>5</b>
<b>I The ultrafast nonlinear response of nickel oxide</b>	<b>9</b>
<b>1 Antiferromagnetic nickel oxide (NiO)</b>	<b>11</b>
1.1 Structural, magnetic and domain properties . . . . .	12
1.2 Optical properties and electronic states . . . . .	15
1.3 NiO samples and domain characterization . . . . .	18
1.4 Previous studies on dynamics observed in NiO . . . . .	20
<b>2 Methods for detecting antiferromagnetic order</b>	<b>23</b>
2.1 Magnetic x-ray diffraction . . . . .	23
2.1.1 Electromagnetic interaction of photons and electrons . . . . .	24
2.1.2 Fundamentals of x-ray diffraction . . . . .	27
2.1.3 Diffraction from antiferromagnetic compounds . . . . .	29
2.2 Second-Harmonic Generation (SHG) . . . . .	32
2.2.1 Nonlinear polarization . . . . .	32
2.2.2 Symmetry considerations for nonlinear processes . . . . .	33
2.2.3 Resonant sum frequency generation in centrosymmetric AFM compounds	37
2.2.4 Phase matching and analytic solutions of instructive special cases . . . . .	39
<b>3 Creation and detection of coherent acoustic phonons</b>	<b>43</b>
3.1 Coupling photons to acoustic phonons . . . . .	44
3.2 Optically induced strain via thermoelastic coupling . . . . .	45
3.3 Effect of strain on the linear and nonlinear susceptibilities . . . . .	46
<b>4 Time-resolved magnetic x-ray diffraction in NiO</b>	<b>49</b>
4.1 Introduction . . . . .	49

4.2	Static x-ray characterization . . . . .	50
4.2.1	Magnetic x-ray diffraction at a synchrotron . . . . .	50
4.2.2	Magnetic x-ray diffraction at an XFEL . . . . .	53
4.3	Time-resolved experimental results . . . . .	55
4.4	Discussion . . . . .	56
4.4.1	The effect of spin rotation on magnetic diffraction in a twinned crystal . . . . .	56
4.4.2	Discussion of the diffraction results . . . . .	58
<b>5</b>	<b>Time-resolved SHG in NiO</b> . . . . .	<b>61</b>
5.1	Introduction . . . . .	61
5.2	Experimental setup . . . . .	62
5.3	Reflection geometry measurements . . . . .	63
5.3.1	Excitation density and pulse-length dependence . . . . .	63
5.3.2	Probe wavelength dependence in reflection geometry . . . . .	65
5.4	Transmission geometry measurements . . . . .	68
5.4.1	Sample geometry dependence of the SHG response . . . . .	68
5.4.2	Probe wavelength dependence in transmission geometry . . . . .	69
5.5	Modeling the SHG response to optical excitation of a semi-transparent slab crystal . . . . .	71
5.5.1	Propagation matrix based calculation of SHG . . . . .	72
5.6	Discussion of the SHG results . . . . .	76
<b>II</b>	<b>The ultrafast nonlinear THz response of low band gap semiconductors</b> . . . . .	<b>81</b>
<b>6</b>	<b>High-field carrier response in semiconductors</b> . . . . .	<b>83</b>
6.1	Interband tunneling . . . . .	85
6.2	Ballistic transport . . . . .	86
6.3	Intervalley scattering . . . . .	88
6.4	Bloch oscillations . . . . .	89
6.5	Impact ionization . . . . .	90
<b>7</b>	<b>Indium antimonide and indium arsenide</b> . . . . .	<b>93</b>
7.1	Lattice structure . . . . .	93
7.2	Electronic band structure . . . . .	95
7.3	Phonon-plasmon coupled modes . . . . .	96
<b>8</b>	<b>Nonlinear THz-spectroscopy</b> . . . . .	<b>99</b>
8.1	Generation of high-field THz pulses . . . . .	100
8.1.1	Optical rectification in organic crystals . . . . .	101
8.1.2	Two-color plasma generation of THz fields . . . . .	102
8.2	Time-domain detection of electric fields . . . . .	105

8.2.1	Electro-Optic detection (EO) . . . . .	105
8.2.2	Air Biased Coherent Detection (ABCD) . . . . .	106
8.3	THz time-domain spectroscopy (TDS) . . . . .	109
8.3.1	Experimental setup for time-resolved reflective THz-spectroscopy . . . . .	112
8.4	2D THz-spectroscopy . . . . .	113
8.4.1	Experimental setup for 2D THz-spectroscopy . . . . .	113
<b>9</b>	<b>Time-resolved THz-spectroscopy</b> . . . . .	<b>117</b>
9.1	Introduction . . . . .	117
9.2	Reflective THz time-domain spectroscopy: The photo-screening method . . . . .	117
9.2.1	Photo-screening results on GaSb, InAs and InSb . . . . .	119
9.2.2	Estimation of carrier-concentration . . . . .	122
9.3	IR pump – reflective THz probe: Effects of partial penetration depth mismatch . . . . .	123
9.3.1	IR excitation – THz probe experiments . . . . .	124
9.3.2	The effect of penetration-depth mismatch on the reflective response . . . . .	126
9.4	2D THz-spectroscopy on InSb and InAs . . . . .	127
9.4.1	Impact ionization and intervalley scattering in InSb and InAs . . . . .	128
9.4.2	Nonlinear mixing in InSb and InAs . . . . .	131
9.4.3	Field dependence of 2D THz-spectra . . . . .	136
9.4.4	Separating <i>even</i> and <i>odd</i> $E_2$ -parity components of the nonlinear signal . . . . .	138
9.5	Simulating the nonlinear electronic response in the time-domain . . . . .	141
9.5.1	Modeling ballistic transport in the THz range . . . . .	142
9.5.2	Finite-difference time-domain calculation (FDTD) . . . . .	143
9.5.3	Tight-binding model of the band structure . . . . .	146
9.5.4	Field-driven nonlinear electronic response using the FDTD-method . . . . .	148
9.6	Discussion of the 2D THz-spectroscopy results . . . . .	154

**Conclusion and outlook** . . . . . **157**

**Appendix** . . . . . **159**

A	Conventions . . . . .	159
B	Coupled-wave equation in absorbing media . . . . .	159
C	Polarization dependence of the time-resolved signal . . . . .	160
D	Surface generated strain in a confined medium . . . . .	162
E	Optical parameters employed for the SHG simulation . . . . .	162
F	SHG probe - THz excitation of NiO: Limitation due to TFISH . . . . .	163
G	Electrical schematics of the ABC-detection . . . . .	165

**List of publications** . . . . . **167**

**Curriculum vitae** . . . . . **169**

Conference contributions	170
List of figures	171
List of tables	175
References	177