

Contents

Abstract	iii
Résumé	v
1 Introduction	1
1.1 Water storage within the Earth system	1
1.1.1 The water balance equation	1
1.1.2 The energy balance equation	2
1.1.3 The coupling of the energy and water cycles	6
1.1.4 Links to the carbon cycle	8
1.2 Observations and models of the water cycle	11
1.2.1 In-situ measurements	11
1.2.2 Satellite observations	12
1.2.3 The Gravity Recovery And Climate Experiment (GRACE)	13
1.2.4 Physical models	16
1.2.5 Statistical models and machine learning	17
1.3 Aims and outline	18
2 Assessing global water storage variability from GRACE	21
2.1 Introduction	22
2.2 Data	24
2.2.1 GRACE data	24
2.2.2 Filtered grids of atmospheric reanalysis	26
2.3 Methods	27
2.3.1 Signal decomposition	27
2.3.2 Monthly averaging of the daily decomposed forcing time series	29
2.3.3 Significance testing and correlation analysis	34
2.3.4 Identifying droughts in the GRACE record	36
2.4 Global hydrological variability in GRACE	36

2.4.1	Distribution of GRACE variance among temporal components	36	4.4.1	GRACE water mass changes	79
2.4.2	Linear trends	38	4.4.2	Derivation of the CO ₂ growth rate (CGR)	80
2.4.3	Inter-annual anomalies	41	4.4.3	Update of GRACE-REC	80
2.4.4	Seasonal cycle	43	4.4.4	Global land and tropical land averages	81
2.4.5	Subseasonal residuals	45	4.4.5	Estimation of correlation significance and uncertainty intervals	81
2.4.6	Droughts	51	4.4.6	Time intervals considered for various datasets	81
2.5	Conclusions	53	4.4.7	Approach of Jung et al to separate temperature-driven and water-driven NEE signals	81
3	A global reconstruction of climate-driven subdecadal water storage variability	57	5	Conclusions and Outlook	83
3.1	Introduction	58	5.1	Conclusions	83
3.2	Data sources and preprocessing	59	5.1.1	Different time scales of water storage variability	83
3.2.1	GRACE observations	59	5.1.2	Physical and statistical modeling approaches are complementary	84
3.2.2	Meteorological forcing	59	5.1.3	Water availability and carbon exchange in models and observations	85
3.2.3	Land surface model simulations	59	5.2	Outlook	88
3.3	Statistical model	60	5.2.1	What is the sensitivity of carbon fluxes to water limitation?	88
3.3.1	Decomposition into temporal components	60	5.2.2	How do local scale carbon fluxes aggregate to the global scale?	88
3.3.2	A data-driven statistical model of TWS	60	5.2.3	Residence time in satellite observations and Earth System models	89
3.3.3	Model identification	61	5.2.4	Investigating the data gap between GRACE and GRACE Follow-On	89
3.4	Model evaluation	62	5.2.5	Evaluating water storage reconstructions with polar motion data	90
3.4.1	Example time series	62	5.3	The way forward: satellite observations and Earth system models	90
3.4.2	Global anomaly correlations	64	A	Appendix to Chapter 1	91
3.4.3	Nash-Sutcliffe efficiency	64	A.1	STL for unevenly spaced time series	91
3.4.4	Comparison with GRACE measurement uncertainties	66	A.1.1	Locally weighted regression (Loess)	92
3.4.5	Comparison with LSM ensembles	66	A.1.2	Inner loop	93
3.5	Example applications	67	A.1.3	Outer loop	93
3.5.1	Isolating TWS trends from subdecadal climate-driven variability	67	A.1.4	Choosing the parameters	94
3.5.2	Global interannual TWS and sea level variability	67	A.2	Weighting function	95
3.6	Conclusions	69			
4	Satellites reveal a strong coupling of the CO₂ growth rate to land water storage	71			
4.1	Introduction	72			
4.2	Results and discussion	73			
4.2.1	Coupling of the CO ₂ growth rate to land water storage	73			
4.2.2	Confounding effect of temperature	75			
4.2.3	Comparison with Dynamic Global Vegetation Models	75			
4.3	Conclusions	79			
4.4	Methods	79			

B Appendix to Chapter 2	97
B.1 Mathematical formulation of the decay filter	97
B.2 Model identification	98
B.3 Basin-scale averages	99
B.4 Model evaluation	100
C Appendix to Chapter 3	107
Bibliography	117
Acknowledgments	149
Curriculum Vitae	151