

CONTENTS

I	Context of this Work	1
1	INTRODUCTION	3
1.1	Fluorescence	3
1.2	Fluorescent Proteins	5
1.2.1	The color-palette of FP-variants	6
1.2.2	photomodulatable FPs	8
1.2.2.1	photoswitchable FPs	8
1.2.2.2	photoactivatable FPs	9
1.2.2.3	photoconvertible FPs	9
1.3	Fluorescent Protein Biosensors	10
1.3.1	Intrinsically sensitive FPs	11
1.3.2	split and dimerisation-based FP Indicators	11
1.3.3	FRET-based Indicators	12
1.3.4	allosteric cpFP-based Indicators	13
1.3.5	Other types of GEFIs	14
1.3.6	General considerations in sensor development and characterization	14
1.4	Measuring neuronal activity	15
1.4.1	Genetically Encoded Calcium Indicators	16
1.5	The scope of this thesis	16
II	Primed Conversion	19
2	PRIMED CONVERSION CAN LABEL SINGLE CELLS <i>in vivo</i>	21
2.1	Abstract	21
2.2	Introduction	21
2.3	Photoconvertible Fluorescent Proteins	23
2.4	Confined Primed Conversion	25
2.5	Unraveling Single Neuron Morphology With Confined Primed Conversion	26

2.5.1	Confined Primed Conversion Enables Photoconversion of Single Cells <i>In Vivo</i>	27
2.5.2	Confined Primed Conversion of Neurons Is a Powerful Tool for Neural Morphology Analysis	28
2.6	Conclusion and Outlook	30
3	A PROTOCOL FOR CONFINED PRIMED CONVERSION	35
3.1	Abstract	35
3.2	Introduction	35
3.2.1	Development of the protocol	36
3.2.2	Overview of the procedure	38
3.2.3	Applications of the method	41
3.2.4	Comparison with other methods	45
3.2.5	Limitations	45
3.3	Detailed Protocol for confined primed conversion	46
3.4	Anticipated results	47
3.5	Supplementary Figures and Tables	50
3.5.1	Supplementary Calculations	50
4	ENGINEERING OF PCFPS FOR PRIMED CONVERSION	53
4.1	Abstract	53
4.2	Introduction	54
4.3	Results	54
4.4	Discussion	62
4.5	Experimental Procedures	62
4.5.1	Transient state lifetime	65
4.6	Supplementary Figures and Tables	68
5	LINEAGE TRACING IN MOUSE EMBRYOS USING PRIMED CONVERSION	73
5.1	Abstract	73
5.2	Introduction	74
5.3	Results and Discussion	75
5.3.1	H2B-pr-mEosFP labeled cells primed converted at the 4-cell stage can be visualized up to the blastocyst stage	75
5.3.2	Dual labeling of pre-implantation embryos greatly facilitates automatic segmentation, tracking and lineage tracing	76
5.4	Summary and conclusion	77

5.5	Experimental Procedures	79
5.6	Supplementary Figures	84
6	REVIEW OF PRIMED CONVERSION RELATED DEVELOPMENTS	87
6.1	Abstract	87
6.2	Introduction	87
6.3	Photoconvertible fluorescent proteins	88
6.3.1	Pulse-chase experiments	88
6.3.2	Super-resolution Microscopy	89
6.3.3	Other photoconvertible FPs	89
6.4	Mechanism of near-UV photoconversion	90
6.5	Primed Conversion	91
6.5.1	Primed conversion - a sequential two-step process	91
6.5.2	Triplet state mechanism of primed conversion	91
6.5.3	Structural basis of primed conversion	92
6.6	Applications, Limitations, and Opportunities of primed conversion	93
6.6.1	Applications	93
6.6.2	Limitations	95
6.6.3	Opportunities for the Future	96
III	Monitoring Neuronal Activity	97
7	VECAMP: A YELLOW Ca^{2+} -INDICATOR FOR 2P-IMAGING WITH FIBER LASERS	99
7.1	Abstract	99
7.2	Introduction	99
7.3	Results	101
7.4	Discussion	105
7.5	Experimental Procedures	106
7.6	Supplementary Figures and Tables	110
IV	Concluding Remarks	111
8	CONCLUDING REMARKS	113

Appendix	115
LIST OF ACRONYMS USED THROUGHOUT THIS THESIS	117
A DETAILED PROTOCOL FOR CONFINED PRIMED CONVERSION	121
A.1 Materials	121
A.1.1 Reagents	121
A.1.2 Equipment	124
A.1.3 Reagent Setup	126
A.1.4 Equipment Setup	127
A.2 Procedure	128
A.2.1 Implementation: placement of the filter plate and alignment	128
A.2.2 Implementation: determination of effective laser powers for primed conversion	128
A.2.3 Evaluation: preparation of <i>in vitro</i> samples	129
A.2.4 Evaluation: <i>in vitro</i> testing of primed conversion efficiency	130
A.2.5 Evaluation: <i>in vitro</i> testing of primed conversion confinement	131
A.2.6 Evaluation: <i>in vitro</i> testing of primed conversion offset	132
A.2.7 <i>in vivo</i> application: primed conversion in zebrafish larvae and mouse embryos	133
A.3 Troubleshooting	136
A.4 Timing	137
BIBLIOGRAPHY	139
CURRICULUM VITAE	