

# Contents

<b>Acknowledgements</b>	<b>v</b>
<b>Abstract (English/Français)</b>	<b>ix</b>
<b>Table of contents</b>	<b>xvii</b>
<b>Glossary</b>	<b>xix</b>
<b>1 Introduction</b>	<b>5</b>
1.1 Concrete: the future of construction materials . . . . .	7
1.1.1 Concrete is the most produced material . . . . .	7
1.1.2 4.0 to 5.8% of the world $CO_2$ emission . . . . .	8
1.1.3 There are no better solution to build the infrastructure the world need . . . . .	8
1.1.4 Supplementary cementitious materials: the way to mitigate $CO_2$ emission . . . . .	10
1.1.5 Conclusion: cement based on Portland cement will be the future, alite remains relevant to investigate . . . . .	11
1.2 Cement and alite hydration mechanisms . . . . .	12
1.2.1 Insight on the alite hydration from calorimetry and solution phase analysis . . . . .	13
1.2.2 The main hydration peak debate . . . . .	14
1.2.3 The later ages . . . . .	14
1.3 Cement and alite hydration modelling: methods and goals . . . . .	15
1.3.1 The necessity of mathematical models . . . . .	15
1.3.2 The paradigm of materials science and engineering . . . . .	15
1.3.3 Specific motivations for modelling cement hydration . . . . .	16
1.3.4 Conclusion: what do we want from hydration models? . . . . .	16
1.4 Statement of the problem and objectives . . . . .	18
1.4.1 The main hydration peak . . . . .	18
1.4.2 The later ages . . . . .	18
1.5 Structure of the thesis . . . . .	18
1.6 References . . . . .	19
<b>2 Literature review on the hydration mechanisms</b>	<b>25</b>
2.1 The main hydration peak problem . . . . .	27
2.1.1 What triggers the start of the acceleration period? . . . . .	27

2.1.2	The acceleration period: heterogeneous nucleation and growth	29
2.1.3	Exposition of the main hydration peak problem: why is there a transition to a deceleration period?	38
2.1.4	The diffusion barrier hypothesis (1968 - 2011)	40
2.1.5	Nucleation and growth with impingement (1968-2011)	47
2.1.6	Confined growth (2011 - Present)	51
2.1.7	Small grain dissolution / surface reduction (1986 - Present)	52
2.1.8	Bazzoni's Needles N & G (2014 - Present)	53
2.2	The later age	54
2.2.1	The later age mechanisms	54
2.2.2	One key factor influencing the later ages: the w/c	54
2.3	The microstructural development	56
2.3.1	Main hydration peak	56
2.3.2	Later ages (1 day - 1 month)	56
2.3.3	Very late ages (beyond 1 month)	60
2.4	Structure, morphology and stoichiometry of the C-S-H	61
2.4.1	Structure of the C-S-H at the nanometer scale: sheets	61
2.4.2	Morphology of the outer C-S-H at the micrometer scale: foils, reticulate network and needles	62
2.4.3	Conclusions on the outer C-S-H morphology	64
2.5	Historical appendix	66
2.5.1	Phase boundary limitation	66
2.6	References	68
<b>3</b>	<b>The main hydration peak</b>	<b>77</b>
3.1	Introduction	86
3.1.1	The main hydration peak debate	86
3.1.2	Shortcomings of previous hydration models and their underlying hypothesis	88
3.1.3	Can outer C-S-H be modelled as needles?	91
3.1.4	Motivation and novelties of the article	92
3.1.5	A model without explicit representation	94
3.2	Construction of the model	97
3.2.1	General idea	97
3.2.2	Geometrical description of the needles	98
3.2.3	The nucleation rate profile	98
3.2.4	Geometrical description of the grains	100
3.2.5	The single grain model	102
3.2.6	The PSD model	107
3.2.7	Sensitivity study	107
3.3	Comparison of the model with experiments and discussion	111
3.3.1	Bazzoni's water to cement experiment on $C_3S$	111

3.3.2	Bazzoni's doping experiment	111
3.3.3	Xuerun Li's doping experiment	112
3.3.4	Costoya's PSD experiment	113
3.3.5	Conclusion on the comparison simulations / experiments. The mechanism behind the transition from the acceleration to the deceleration	116
3.4	Insights on alite hydration from the needle model	119
3.4.1	Contribution of each population of the PSD to the total heat released	119
3.4.2	Impact of the dissolution of the small grains	119
3.4.3	When does the inner C-S-H start forming? Why do needles stop growing? The transition occurring at the end of the first day	123
3.4.4	What factors influence the nucleation and growth rate of the needles?	125
3.5	Comparison and discussion with other models	129
3.5.1	Can the dissolution of the small grains be neglected?	129
3.5.2	On the assumption of sphericity and smoothness of the grains	130
3.5.3	On the indeterminacy of the interpretation of the calorimetry curves - The need for new criteria and a proper benchmark to assess the models	131
3.6	Conclusions	135
3.6.1	Answers to the initial motivations	135
3.6.2	Mechanisms causing the transition of the main hydration peak	136
3.7	Acknowledgements	137
3.8	References	138
3.9	Appendices	144
3.9.1	Full derivation of the single grain model	144
3.9.2	Derivation of the Rou/F ratio from the PSD and BET specific surface	146
3.9.3	Limitations of the needle model	146
3.9.4	Errors calculation and fitting process	146
3.9.5	Matlab code and associated files to tune the Bazzoni w/c = 0.8 simulation	146
<b>4</b>	<b>The Later Ages</b>	<b>151</b>
4.1	New concepts to describe the microstructure evolution	154
4.1.1	Shell, scaffold and cell	154
4.1.2	Shell detachment and the gap opening	155
4.1.3	Inner / Outer space	157
4.1.4	Empty shells, living/dead shells	157
4.1.5	Cells influence domains, the living/dead subdomains	158
4.1.6	Five water reservoirs and the emptying hierarchy	159
4.1.7	The phases are NOT randomly distributed in space	159
4.1.8	What does space mean? How to quantify space filling? Space / Water available for precipitation / Impingement: three faces of the same phenomenon	161

4.1.9	Where do air voids open up? capillary water distribution between the internal and external reservoirs, pore size and Distance Map Distributions (DMD)	162
4.1.10	Portlandite phagocytose	170
4.2	The quantitative importance of the gap opening phenomenon	173
4.2.1	Illustration of the gap opening phenomenon on a 10 $\mu\text{m}$ grain	173
4.2.2	Examples on monodisperse powders	174
4.2.3	The polydisperse case, the "space-filling rule of thumb"	175
4.3	General idea of the upgraded needle model algorithm	179
4.3.1	It computes the volume of C-S-H with time from measurements	180
4.3.2	The phase assemblage is derived from the C-S-H volume and the stoichiometric equation	184
4.3.3	The overall heat of reaction is computed from the volumetric coefficients and individual enthalpies	189
4.3.4	DMDs are used to distribute the water between the external and internal capillary water	189
4.3.5	The water reservoirs are assumed to empty from the coarser ones to the finer ones	189
4.3.6	The probability of Portlandite phagocytose	190
4.3.7	The probabilities of internal and external impingement	191
4.3.8	Other upgrades of the later ages model over the published version of the previous chapter	191
4.4	Parametric study	193
4.4.1	Outer C-S-H nucleation and growth parameters	193
4.4.2	Inner C-S-H nucleation and growth parameters	193
4.4.3	Water to cement ratio	193
4.4.4	Conclusion of the parametric study	193
4.5	Test of the model	197
4.5.1	Experiments to test the model	197
4.5.2	Input parameters	200
4.5.3	Results and discussion	209
4.5.4	DMDs	218
4.6	The complete dataset to benchmark alite hydration models	223
4.6.1	Presentation of the dataset	224
4.6.2	Raw materials and mix design	224
4.6.3	Results and discussion	227
4.7	Is space-filling the leading mechanism during the later ages?	235
4.7.1	Space filling certainly influences the later ages kinetics	235
4.7.2	Space filling entails sub-mechanisms	237
4.7.3	Grains still completely dissolve and slow down the kinetics	237
4.7.4	Progressive contact between the inner C-S-H and the anhydrous grains	237
4.7.5	Portlandite clusters	238

4.8	Appendix: The living and dead subdomains	241
4.8.1	The probability for an empty scaffold to lie in a living subdomain	241
4.9	References	246
<b>5</b>	<b>Conclusions</b>	<b>251</b>
5.1	Contributions of this thesis	253
5.1.1	Contributions to the main hydration peak debate	253
5.1.2	Two linear equations with needles length and powder specific surface	255
5.1.3	Contributions on the later ages mechanisms	256
5.1.4	Experimental contributions	258
5.2	Perspectives	259
5.2.1	Questions left	259
5.2.2	The necessity of mathematical models to understand the later ages mechanisms	260
5.2.3	Recommendations for future hydration models	260