

Contents

Acknowledgements (Remerciements)	v
Abstract (English/Français/Deutsch)	vii
I Introduction	1
1.1 The SU(N) Lie algebra	4
1.1.1 The basic concepts	4
1.1.2 From the Cartan-Weyl basis to \hat{S}_v^μ	8
1.1.3 Natural bosonic representation of the states and of \hat{S}_v^μ	10
1.2 Linear flavour-wave theory in the fundamental irrep	11
1.3 Outline of the thesis	14
II Multiboson Linear Flavour-Wave Method	15
2.1 Fully antisymmetric irreps	16
2.1.1 Two SU(4) particles per site on the square lattice	17
2.1.2 Two SU(4) particles per site on the honeycomb lattice	27
2.1.3 Two SU(6) particles per site on the triangular lattice	29
2.1.4 General considerations: m particles per site	33
2.1.5 Dimensional crossover of the 2D square lattice to 1D chains	36
2.2 SU(3) adjoint irreducible representation	40
2.2.1 General method for deriving the action of the generators	41
2.2.2 Derive the action of \hat{S}_v^μ for the adjoint irrep	44
2.2.3 The Holstein-Primakoff prescription with the SU(3) adjoint irrep	46
2.2.4 Considering different states as condensates	50
III Linear Flavour-Wave with Mathur and Sen Bosons	55
3.1 The SU(3) chain in the self-conjugate irreducible representations	55
3.1.1 Mathur & Sen's bosonic representation	56
3.1.2 The LFWT with Mathur & Sen bosons	59
3.2 The SU(3) model in irreducible representation $[p, q]$ on the bipartite d -dimensional lattice	66
3.3 What about $N > 3$?	70

IV Linear Flavour-Wave with Read and Sachdev Bosons	73
4.1 Read and Sachdev bosonic representation for rectangular Young tableaux . . .	73
4.1.1 SU(4) $m = 2$ on the square lattice	74
4.1.2 SU(6) $m = 2$ on the triangular lattice	79
4.1.3 Arbitrary m	81
4.1.4 The magnetisation	82
4.2 The SU(3) adjoint irrep	84
4.2.1 Constructing the states with the Read & Sachdev Bosons	84
4.2.2 LFWT on a bipartite 1D chain	86
4.3 The SU(3) model in irreducible representation $[p, q]$ on the bipartite d -dimensional lattice	90
V Recapitulation of the Boson Representations	95
VI Lifting the Line of Zero-Modes	99
6.1 The line of zero-modes: the root of the problem	99
6.2 Self-consistent method	101
6.2.1 Mapping to the ferromagnetic state — rotation of local frames	103
6.2.2 Hamiltonian in the rotated frame	104
6.2.3 The corrections from $\mathcal{H}^{(4)}$	106
6.2.4 The corrections from $\mathcal{H}^{(3)}$	108
6.2.5 Using J_n to get the renormalised spectrum	109
6.2.6 Magnetisation depending on the J_n	113
6.3 Different methods also show the line of zero-modes	116
6.3.1 Non-linear σ model	116
6.3.2 The Liouville equation	121
6.4 The path forward	125
VII Conclusion	127
Appendix	130
A The Bogoliubov transformation	131
1.1 The Bogoliubov transformation with two bosons	131
1.2 The generalised Bogoliubov transformation	133
B The expectation values with Read and Sachdev bosons	139
2.1 Case of SU(4) $m = 2$ irrep	139
2.2 Case of SU(3) adjoint irrep	140
C The corrections from the SU(3) quartic terms $\mathcal{H}^{(4)}$	145
3.1 Wick decoupling/Hartree-Fock average of the quartic terms	145
D The nonlinear sigma model of SU(3) \ (U(1) \times U(1))	155

E The quantum Liouville equations	159
5.1 The antiferromagnetic SU(2) model	159
5.2 The inhomogeneous solutions of the AFM SU(3) model	162
Bibliography	165
Curriculum Vitae	177