

# Contents

List of figures	xv
List of tables	xix
Conventions and Notation	xxi
<b>Introduction</b>	<b>1</b>
Context	1
Research Objectives	2
Approach	2
Thesis Outline	3
<b>I Preliminaries</b>	<b>5</b>
<b>1 Integrated Navigation</b>	<b>7</b>
1.1 Fundamentals of INS-based Navigation	8
1.1.1 Coordinate Systems	8
1.1.2 Attitude Representation	8
1.1.3 Frames Definition	11
1.1.4 Inertial Navigation System (INS)	15
1.1.5 Global Navigation Satellite System (GNSS)	17
1.2 Estimation Methods	18
1.2.1 Linear Kalman Filter (KF)	19
1.2.2 Extended Kalman Filter (EKF)	21
1.2.3 Unscented Kalman Filter (UKF)	22

1.3	Sensor Error Modeling . . . . .	22
1.3.1	Systematic and Stochastic Errors . . . . .	22
1.3.2	Stochastic Processes . . . . .	23
1.3.3	Stochastic Modeling . . . . .	24
1.3.4	Traditional Methods . . . . .	25
1.3.5	Limitations of Traditional Stochastic Modeling Methods . . . . .	26
1.3.6	Generalized Method of Wavelet Moments (GMWM) . . . . .	26
<b>2</b>	<b>Basis for Dynamic Modeling of UAVs</b>	<b>27</b>
2.1	Classical Mechanics . . . . .	27
2.1.1	Newtonian-Euler Formulation . . . . .	27
2.1.2	Lagrangian Formulation . . . . .	28
2.1.3	Hamiltonian Formulation . . . . .	28
2.2	Flight Aerodynamics . . . . .	29
<b>II</b>	<b>VDM-Based Navigation Framework</b>	<b>31</b>
<b>3</b>	<b>Theory and System Architecture</b>	<b>33</b>
3.1	Related Work . . . . .	33
3.2	Methodology Overview . . . . .	35
3.2.1	Theoretical Benefits of VDM in Navigation . . . . .	37
3.3	Navigation System Architecture . . . . .	37
3.3.1	General Form of VDM . . . . .	39
3.3.2	Importance of Modeling Earth Effects . . . . .	40
3.3.3	VDM as Process Model . . . . .	41
3.4	State Space Augmentation . . . . .	42
3.4.1	Actuator Dynamics . . . . .	43
3.4.2	VDM Parameters . . . . .	43
3.4.3	Wind Velocity . . . . .	44
3.4.4	Sensor Errors . . . . .	44
3.4.5	Sensor Mounting Misalignments . . . . .	45
3.4.6	State Vector in Most General Case . . . . .	47

3.5	Observation Models . . . . .	48
3.5.1	IMU data . . . . .	48
3.5.2	GNSS Position and Velocity . . . . .	49
3.5.3	Barometric Altitude . . . . .	50
3.5.4	Airspeed . . . . .	50
<b>4</b>	<b>Fixed-Wing Implementation</b>	<b>53</b>
4.1	VDM for a Typical Fixed-Wing UAV . . . . .	53
4.1.1	Aerodynamic Forces . . . . .	53
4.1.2	Aerodynamic Moments . . . . .	55
4.1.3	Air Density Model . . . . .	56
4.1.4	Actuator Dynamics . . . . .	56
4.2	Experimental Setup . . . . .	57
4.2.1	Platforms . . . . .	57
4.2.2	Sensor Setup . . . . .	58
4.2.3	Actuators . . . . .	60
4.3	Filter Setup . . . . .	60
4.3.1	Stochastic Models for Observations . . . . .	61
4.3.2	Initialization . . . . .	62
4.3.3	Model Linearization for EKF . . . . .	63
<b>III</b>	<b>Results and Analyses</b>	<b>65</b>
<b>5</b>	<b>Main Results</b>	<b>67</b>
5.1	Proof of Concept . . . . .	69
5.1.1	Navigation States . . . . .	69
5.1.2	Auxiliary States . . . . .	70
5.1.3	Discussion on Observability . . . . .	74
5.2	Evaluation of Wind Effects . . . . .	77
5.2.1	Navigation States . . . . .	77
5.2.2	Auxiliary States . . . . .	79
5.3	Validation of Simulations . . . . .	82

## Contents

---

5.3.1	Emulation Scenario . . . . .	84
5.3.2	Experimental Scenario . . . . .	88
5.3.3	Observability Discussions for Emulation Scenario . . . . .	89
5.3.4	Observability Discussions for Experimental Scenario . . . . .	93
5.4	Further Experimental Results . . . . .	96
5.4.1	Calibration Flight . . . . .	96
5.4.2	Evaluation Flight . . . . .	99
<b>6</b>	<b>Further Analyses</b>	<b>105</b>
6.1	Global Sensitivity Analysis . . . . .	105
6.1.1	Theory . . . . .	106
6.1.2	Results . . . . .	107
6.2	VDM-based Navigation without IMU . . . . .	110
6.2.1	Emulation Scenario . . . . .	110
6.2.2	Experimental Scenario . . . . .	113
6.3	Computational Cost . . . . .	115
<b>IV</b>	<b>Conclusion Remarks</b>	<b>117</b>
<b>7</b>	<b>Conclusions and Suggestions</b>	<b>119</b>
7.1	Conclusions Remarks . . . . .	119
7.2	Suggestions for Future Research . . . . .	121
<b>A</b>	<b>Manual Model Linearization for a Simplified Case</b>	<b>123</b>
	<b>Appendix</b>	<b>123</b>
	<b>Bibliography</b>	<b>138</b>