

Contents

i	Acknowledgements	xvii
ii	Executive summary	xix
iii	Zusammenfassung	xxv
iv	Abbreviations	xxxix
v	Glossary	xxxv
vi	Preamble	xxxix

Part I	INTRODUCTION, OBJECTIVES AND METHODOLOGY	1
---------------	---	----------

1	Introduction	3
1.1	Surveillance of infectious diseases – the ‘burden of illness pyramid’	3
1.2	History of infectious disease surveillance in Switzerland	6
1.3	Infectious disease surveillance systems in Switzerland	9
1.3.1	The National Notification System for Infectious Diseases	10
1.3.2	The Swiss Sentinel Surveillance Network	12
1.4	Foodborne diseases and acute gastroenteritis	13
1.4.1	The difference between foodborne disease and acute gastroenteritis	13
1.4.2	The burden of foodborne diseases	14
1.4.3	The burden of acute gastroenteritis	17
1.4.4	Foodborne disease or acute gastroenteritis: what is and what should be measured	18

1.5	Foodborne disease surveillance in Switzerland	19
1.6	The epidemiology of selected foodborne pathogens in Switzerland and in the European Union	23
2	Rationale, aim and objectives	27
2.1	Rationale to study the ‘burden of illness pyramid’ . . .	27
2.2	Aim and objectives	28
3	Research concept and methodological overview	29
3.1	Overview of research approaches and study designs . . .	29
3.1.1	Analysing notification data on <i>Campylobacter</i> , <i>Salmonella</i> , and hepatitis A	29
3.1.2	Studying trends in laboratory positivity rates of <i>Campylobacter</i> , <i>Salmonella</i> , and EHEC	31
3.1.3	Understanding laboratory practices and its influence on notification data: the example of EHEC	32
3.1.4	Understanding physicians’ approaches towards acute gastroenteritis case management – a qualitative approach	32
3.1.5	Understanding physicians’ approaches towards acute gastroenteritis case management – a quantitative study	33
3.1.6	Studying healthcare costs of acute gastroenteritis and campylobacteriosis	33
3.1.7	Studying the incidence, burden of disease, socio-economic impact and aetiology of acute gastroenteritis	34
3.2	Ethical considerations	35
3.3	Collaborations	36

Part II THE BURDEN OF ILLNESS PYRAMID OF FOODBORNE INFECTIONS: UNDERSTANDING THE TIP OF THE ICE-BERG 39

4	Inverse trends of <i>Campylobacter</i> and <i>Salmonella</i> in Swiss surveillance data, 1988–2013	
	Claudia Schmutz, Daniel Mäusezahl <i>et al.</i> , 2016, <i>Euro Surveill</i>	41

5	Hepatitis A in Switzerland: An analysis of 29 years of surveillance data and contemporary challenges	65
	Claudia Schmutz, Daniel Mäusezahl, <i>et al.</i> , 2018, <i>Travel Med Infect Dis</i>	
6	Time trends of positivity rates from foodborne pathogen testing in Switzerland, 2003 to 2012	107
	Philipp Justus Bless, Claudia Schmutz, <i>et al.</i> , 2017, <i>Swiss Med Wkly</i>	
7	Enterohaemorrhagic <i>E. coli</i> in Switzerland: epidemic pattern due to changing laboratory methods?!	135
7.1	Introduction	135
7.2	Methods	139
7.3	Results	140
7.3.1	Use and characteristics of multiplex PCR panels	140
7.3.2	Diagnostic algorithm in case of diarrhoea	142
7.4	Discussion	143
7.4.1	“Seek and you shall find (EHEC)”	143
7.4.2	Implications of laboratory practices for surveillance and outbreak detection	144
7.4.3	Importance of good relations among national surveillance actors	146
7.5	Conclusions	147
8	Do changes in EHEC diagnostics mislead interpretation of disease surveillance data in Switzerland? Time trends in positivity from 2007 to 2016	149
	Fabienne Fischer, Apolline Saucy <i>et al.</i> , submitted	
9	Infectious disease surveillance: What can we conclude from analysing positivity rates of diagnostic testing?	177
9.1	Summary	179
9.2	Introduction	179
9.3	Methods	181
9.4	Results and discussion	181
9.4.1	Multiple tests and reports per disease episode	183
9.4.2	Data validity and positivity rates	184
9.4.3	Swiss “laboratory landscape”: Complex and dynamic	186
9.4.4	Comparable positivity rates from other studies	188
9.4.5	Positivity rates do not suffice	191
9.5	Conclusions: Pros and cons of collecting information on test numbers	192

Part III ACUTE GASTROENTERITIS: PHYSICIANS' CASE MANAGEMENT AND PATIENTS' HEALTH SEEKING AND ITS INFLUENCE ON SURVEILLANCE DATA 193

10 General practitioners' viewpoint on acute gastroenteritis, campylobacteriosis and Swiss primary care 195

- 10.1 Summary of "Acute Gastroenteritis and campylobacteriosis in Swiss primary care: the viewpoint of general practitioners" 196

Philipp J. Bless, Joan Muela Ribera, *et al.*, 2016, *PLoS One* 196

- 10.2 Additional analysis & results: The general practitioners' role in the Swiss health system 201

- 10.2.1 GPs' knowledge on campylobacteriosis 201

- 10.2.2 GPs' perspective on stool testing 204

- 10.2.3 The GPs' perception of their role 207

- 10.2.4 The GPs' view of the Federal Office of Public Health 210

- 10.2.5 GPs and the FOPH: Lack of mutual understanding 212

11 Acute gastroenteritis in primary care: a longitudinal study in the Swiss Sentinel Surveillance Network, Sentinella 213

Claudia Schmutz, Philipp Justus Bless *et al.*, 2017, *Infection*

Part IV THE SOCIAL AND FINANCIAL BURDEN OF GASTROINTESTINAL DISEASES ACROSS THE BURDEN OF ILLNESS PYRAMID 243

12 Estimating healthcare costs of acute gastroenteritis and human campylobacteriosis in Switzerland 245

Claudia Schmutz, Daniel Mäusezahl, *et al.*, 2017, *Epidemiol Infect*

13 The burden of gastroenteritis in Switzerland (BUGS) study: a research proposal for a one-year, prospective cohort study 277

Claudia Schmutz and Daniel Mäusezahl, *BMC Res Notes*, accepted

Part V DISCUSSION AND CONCLUSIONS 297

14 Discussion 299

- 14.1 Reconstructing the burden of illness pyramid 301

- 14.1.1 From infection to disease notification 301

- 14.1.2 Before primary care: The "invisible" part of the burden of illness pyramid 302

- 14.1.3 At primary care: physicians' case management is patient-oriented 304

- 14.1.4 After primary care: beyond sensitivity and specificity of diagnostic methods 306

- 14.1.5 At the tip of the iceberg: the notification system is not static 307

- 14.1.6 From disease notification back to infection 309

- 14.2 The National Notification System for Infectious Diseases: a critical reflection 311

- 14.2.1 Does the NNSID fulfil its purpose? 311

- 14.2.2 Does the purpose of the NNSID match our expectations? 322

- 14.2.3 How could the NNSID be improved? 323

- 14.3 The ideal case management for acute gastroenteritis from different perspectives 328

- 14.3.1 The patients' perspective: reducing illness duration and social impact 328

- 14.3.2 The physicians' perspective: reducing suffering and caring for the vulnerable 329

- 14.3.3 The public health or epidemiologists' perspective: identifying sources and outbreaks and preventing spread of disease 331

15 Conclusions 335

- 15.1 Recommendations 336

16 Bibliography 339

Part VI APPENDICES I

A List of notifiable observations in Switzerland, as per January 2018 III

B	Process of compulsory disease notification in Switzerland	IX
C	The influence of changes in diagnostic approaches on disease surveillance data: Time trend in positivity of EHEC testing in Switzerland, 2007–2016: Supplementary material	XI
D	Notification form: Statistic of reports on laboratory findings 2017	XIII
E	The burden of gastroenteritis in Switzerland (BUGS) study: a research proposal for a one-year, prospective cohort study: Additional file 1	XVII
F	Selected media articles	XXV
	F.1 Media reactions on studies presented in this thesis . . .	XXV
	F.2 Selected media reactions on surveillance data	XXVIII
G	Curriculum vitae	XXIX