

Contents

Acknowledgements	i
Abbreviations	xv
Summary	xvii
Zusammenfassung	xix
1. INTRODUCTION	1
1.1 Non-communicable disease (NCD) epidemic	1
1.2 Asthma as part of the NCD epidemic	2
1.3 Causes and risk factors of asthma	4
1.4 Heterogeneity of asthma phenotype	5
1.5 Obesity as a risk factor for asthma	6
1.6 Air pollution exposure as a risk factor for asthma	7
1.7 Omics analysis: a new epidemiology tool in the era of NCD epidemic	8
1.7.1 Epigenomics	8
1.7.2 Metabolomics	10
1.7.3 Exposomics	11
1.7.4 Meet-in-the-middle (MITM)	11
1.7.5 Statistics in omics analysis	12
1.7.6 Bioinformatics in omics analysis	14

1.7.7	Personalized health research from a public health and primary prevention perspective	15
2.	OBJECTIVES	17
3.	METHODS	19
3.1	Study samples	19
3.1.1	The Swiss Cohort Study on Air Pollution and Lung and Heart Diseases in Adults (SAPALDIA)	19
3.1.2	Nested case-control study	20
3.2	Asthma phenotypes	21
3.3	Obesity metrics	21
3.4	Air pollution exposure estimates	22
3.5	Epigenomics	22
3.6	Metabolomics	24
4.	Article I	
	Heterogeneity of obesity-asthma association disentangled by latent class analysis, the SAPALDIA cohort	27
4.1	Introduction	29
4.2	Methods	30
4.2.1	Study population	30
4.2.2	Asthma definition	32
4.2.3	Obesity measures	32
4.2.4	Clustering asthma classes using LCA	33
4.2.5	Obesity-asthma association examined by multinomial logistic regression	34

4.2.6	Additional analyses	35
4.2.7	Statistical software	36
4.3	Results	36
4.3.1	Four asthma classes identified by LCA	36
4.3.2	Heterogeneity of obesity-asthma association	39
4.3.3	Stronger association among the stably overweight	40
4.4	Discussion	42
4.5	Conclusion	45
4.6	Supplementary Material	48

5. Article II

	DNA methylation in inflammatory pathways modifies the association between BMI and adult-onset non-atopic asthma	55
5.1	Introduction	58
5.2	Materials and methods	60
5.2.1	Study samples	60
5.2.2	Covariates	61
5.2.3	Methylome	63
5.2.4	EWIS of DNA methylation and BMI on adult-onset asthma	64
5.2.5	EWIS of DNA methylation and BMI change on adult-onset asthma	65
5.2.6	Candidate pathway enrichment analyses using Weighted Kolmogorov-Smirnov (WKS) method	66
5.2.7	Identification of differentially methylated regions (DMR)	66
5.2.8	Agnostic pathway enrichment analyses using Ingenuity Pathway Analysis (IPA)	67
5.3	Results	67

5.4	Discussion	72
5.5	Conclusion	78
5.6	Supplementary Material	81
5.6.1	Supplementary figures	81
5.6.2	Supplementary tables	86

6. Article III

Perturbation of metabolic pathways mediates the association of air pollutants with asthma and cardiovascular diseases		93
6.1	Introduction	97
6.2	Methods	99
6.2.1	Study population	99
6.2.2	Metabolome analyses	103
6.2.3	Air pollution exposure estimates	105
6.2.4	Statistical analyses	106
6.2.5	Meet-in-the-middle (MITM) approach	109
6.3	Results	111
6.3.1	Exposure to UFP is associated with AOA	111
6.3.2	Weak but consistent association of air pollution with CCVD	112
6.3.3	MWAS: no single metabolites are associated with both air pollution and AOA or CCVD	113
6.3.4	Several metabolic pathways are commonly associated with air pollution in both cohorts	116
6.3.5	Pathways enrichment and MITM analysis for AOA and CCVD . . .	117
6.3.6	Linoleate metabolism is a common MITM pathway linking air pollution to AOA and CCVD	118

6.3.7	Confirmed annotation of metabolites in MITM pathways	119
6.3.8	Additional sensitivity analyses	119
6.4	Discussion	121
6.4.1	Meet-in-the-middle (MITM) approach	122
6.4.2	MWAS analyses	123
6.4.3	Pathway enrichment analyses	123
6.4.4	Linoleate metabolism is a common MITM pathway for AOA and CCVD	124
6.4.5	CCVD specific MITM pathways	125
6.4.6	Strengths and limitations	126
6.5	Conclusions	128
6.6	Supplementary Material	130
6.6.1	Covariates acquisition	130
6.6.2	Metabolome analyses: laboratory and pre-processing procedures . .	130
6.6.3	Link and variance function in GLM	132
6.6.4	Semi-partial pseudo-R ² coefficient	133
6.6.5	Confirmation of chemical identities from Mummichog	136
6.6.6	Supplementary figures	137
6.6.7	Supplementary tables	142

7. DISCUSSION 157

7.1	Main findings	157
7.1.1	Importance of distinguishing asthma phenotypes	157
7.1.2	Asthma-obesity association	158
7.1.3	BMI not the optimal metric of obesity	158
7.1.4	Asthma-air pollution association	159

7.1.5	Inflammation: shared mechanism linking various exposures, asthma, and comorbidities	160
7.1.6	Innate immunity: a plausible mechanism behind the link between obesity and non-atopic asthma	161
7.2	Strengths and limitations	161
7.3	Research implications	163
7.3.1	Lessons learnt from EXPOsOMICS	164
7.4	Public health implications	165
7.5	Conclusion and future work	166
References		169
Curriculum Vitae		193