

Table of content

Table of content	i
List of figures.....	v
List of tables.....	vii
List of abbreviations	ix
Acknowledgements.....	xi
Summary	xv
Chapter 1: Introduction	1
1.1 Epidemiology and global distribution of lymphatic filariasis.....	1
1.2 Transmission and life cycle of filarial parasites.....	2
1.3 Factors affecting the transmission of filarial parasites.....	3
1.4 Density-dependent factors affecting lymphatic filariasis transmission.....	4
1.5 Clinical manifestations and pathogenesis of lymphatic filariasis	5
1.6 Programmatic steps of the GPELF in interrupting transmission.....	6
1.6.1 Mapping	6
1.6.2 Mass drug administration.....	7
1.6.3 Post-MDA surveillance.....	8
1.6.4 Transmission assessment survey (TAS)	9
1.7 Vector control strategy for lymphatic filariasis elimination	10
1.8 Rationale	11
1.9 Objectives and aims	12
1.9.1 General objective	12
1.9.2 Specific objectives	12
Chapter 2: An assessment of potential factors influencing lymphatic filariasis transmission in “hotspot” and “control” areas in Ghana: the importance of vectors	13
2.1 Abstract.....	14
2.2 Background	16
2.3 Methods.....	18
2.3.1 Study sites	18
2.3.2 Mosquito collection and processing.....	19
2.3.3. Assessment of infection and infectivity rates in <i>An. gambiae</i>	20
2.3.4 Cibarial armature characterisation	20
2.3.5 Questionnaire survey	20

2.3.6 Statistical analysis	21
2.3.7 Ethics statement	21
2.4 Results	22
2.4.1 Mosquito species composition and abundance	22
2.4.2 Infection and infectivity rate for <i>An. gambiae</i> complex	25
2.4.3 Cibarial armature characterisation	26
2.4.4 MDA coverage and baseline (pre-intervention) mf and antigenaemia prevalence	28
2.4.5 Demographic characteristics	29
2.4.6 MDA compliance	30
2.4.7 Vector control	30
2.5 Discussion	32
2.6 Conclusions	36
Chapter 3: Implementing a community vector collection strategy for xenomonitoring for the endgame of lymphatic filariasis elimination	39
3.1 Abstract	40
3.2 Background	42
3.3 Methods	44
3.3.1 Study sites	44
3.3.3 Collection of mosquitoes	46
3.3.4 Validation of mosquito sampling survey	47
3.3.5 Analysis of cost data	47
3.3.6 Statistical analysis	48
3.4 Results	48
3.4.1 Mosquito collection	48
3.4.2 Cost estimates	52
3.5 Discussion	56
3.6 Conclusions	58
Chapter 4: Assessing the presence of <i>Wuchereria bancrofti</i> infections in vectors using xenomonitoring in lymphatic filariasis endemic districts in Ghana	59
4.1 Abstract	60
4.2 Introduction	61
4.3 Materials and methods	63
4.3.1 Study sites	63
4.3.2 Mosquito collection and identification	63
4.3.3 Mosquito dissection	64

4.3.4 Extraction and detection of <i>W. bancrofti</i> in dissected mosquitoes	64
4.3.5 Extraction of nucleic acids from pooled mosquitoes with TRIzol reagent	65
4.3.6 Statistical analysis	65
4.3.7 Ethical approval	66
4.4 Results	66
4.4.1 Mosquito abundance and composition	66
4.4.2 Molecular identification of <i>An. gambiae</i> and <i>W. bancrofti</i>	68
4.4.3 Detection of <i>W. bancrofti</i> using molecular techniques	70
4.5 Discussion	72
4.6 Conclusions	77
Chapter 5: Discussion	79
Conclusion and recommendations	85
References	87
Appendix I	97
Appendix II: Curriculum Vitae	103