

Table of Contents

Abbreviations and designations	1
Summary	3
Zusammenfassung	5
1. Introduction	9
<i>Listeria monocytogenes</i> : a food-borne pathogen	9
<i>Listeria</i> pathogenesis and its correlation with serovar	12
The <i>Listeria</i> Cell Wall	17
The physiological roles of WTA and its tailoring modifications	26
Wall-teichoic acids as targets for antimicrobials and anti-virulence agents	28
The complex relationship between bacteriophages and the cell wall	30
The binding specificity of bacteriophage proteins and its potential for diagnostics	34
Serovar: a determinant of phage susceptibility and an indicator of pathogenic potential	35
Aim of the thesis	38
References	40
2. Manuscripts	53
Manuscript 1: Genome Sequences of Five Nonvirulent <i>Listeria monocytogenes</i> Serovar 4 Strains	54
Manuscript 2: Phage resistance at the cost of virulence: <i>Listeria monocytogenes</i> serovar 4b requires galactosylated teichoic acids for InlB-mediated invasion	58
Manuscript 3: Galactosylated wall-teichoic acids from serovar 4b <i>Listeria monocytogenes</i> are sufficient to retain InlB in the cell wall	108
Manuscript 4: A <i>Listeria</i> typing and enrichment scheme based on serovar-specific binding of bacteriophage proteins	133
3. Conclusions and Outlook	168
Acknowledgements	173
Curriculum Vitae	174