

2 Contents

1	Abstracts.....	2
1.1	Inhibition of IL-1 β Improves Glycaemia in a Mouse Model for Gestational Diabetes	2
1.2	β -Cell-Specific Overexpression of pro-IL-1 β as a Mouse Model for Human Type 2 Diabetes 2	
1.3	Overexpression of pro-IL-1 β in Myeloid Cells Induces Insulin Resistance and Impairs Insulin Secretion in Mice.....	2
2.1	List of Abbreviations.....	8
3	General introduction	9
3.1	Diabetes.....	9
3.2	The interplay of the immune system and the endocrine system	9
3.3	Immunometabolic changes during pregnancy.....	10
3.4	IL-1 β and other cytokines induce insulin resistance	10
3.5	Sources of IL-1 β in islet inflammation	11
3.6	Pro-IL-1 β processing	12
3.7	IL-1 β secretion	12
4	Aim of the Projects in this Thesis	13
5	Inhibition of IL-1beta Improves Glycaemia in a Mouse Model for Gestational Diabetes	14
5.1	Abstract:	15
5.2	Introduction.....	16
5.3	Materials and Methods.....	17
5.3.1	Mice:.....	17
5.3.2	Timed-mating:	17
5.3.3	Anti-IL-1 β treatment and diet:	17
5.3.4	Experimental groups:	17
5.3.5	Environmental conditions:	18
5.3.6	Glucose tolerance testing:.....	18
5.3.7	Sacrifice of mice:	18
5.3.8	Serum preparation:	18
5.3.9	IL-1 β measurements of serum and organ extracts:	18
5.3.10	IL-1Ra measurements of serum:	18
5.3.11	Serum steroid hormone measurements:	18
5.3.12	Ribonucleic acid (RNA) extraction and quantitative PCR (qPCR):	19
5.3.13	Statistics.....	19
5.3.14	Ethics statement.....	19
5.3.15	Data availability statement	19
5.4	Results	20

5.4.1	Mouse model for gestational diabetes mellitus.....	20
5.4.2	IL-1 β is increased in pregnant mice.....	20
5.4.3	IL-1 β antagonism improves glycaemia in GDM.....	21
5.4.4	Steroid hormones.....	21
5.5	Discussion:.....	22
5.6	Acknowledgments.....	23
5.7	Author Contributions.....	23
5.7.1	Conflict of interest statement.....	23
5.7.2	Funding.....	23
5.8	Figures.....	24
5.8.1	Figure legends.....	30
6	β -Cell-Specific Overexpression of pro-IL-1 β as a Mouse Model for Human Type 2 Diabetes.....	32
6.1	Authors.....	32
6.2	Abstract.....	32
6.3	Introduction.....	33
6.4	Methods.....	34
6.4.1	Mice.....	34
6.4.2	β -cell-specific pro-IL-1 β overexpressor mice.....	34
6.4.3	Diet.....	35
6.4.4	Tamoxifen preparation.....	35
6.4.5	Glucose tolerance test.....	35
6.4.6	Insulin tolerance test.....	35
6.4.7	Antibodies.....	35
6.4.8	<i>In vivo</i> anti-IL-1 β treatment.....	35
6.4.9	Acute il-1 β treatment.....	35
6.4.10	Serum Preparation.....	35
6.4.11	IL-1 β measurements in serum.....	35
6.4.12	Bioassay to detect active IL-1 β	36
6.4.13	Pancreas histology.....	36
6.4.14	Islet isolation.....	36
6.4.15	Fluorescence-activated cell sorting of pancreatic islets.....	36
6.4.16	Homogenized tissue samples.....	37
6.4.17	qPCR.....	37
6.4.18	Table 1: Primers used for qPCR.....	37
6.4.19	Single islet glucose-stimulated insulin secretion.....	38
6.4.20	Statistics.....	39

6.5	Results	40
6.5.1	Validation of the β -cell-specific pro-IL-1 β overexpressing model.....	40
6.5.2	Minor changes detected in islet composition between pro-IL-1 β overexpressor and control islets	40
6.5.3	Minor effect of β -cell-specific overexpression on glucose homeostasis on chow diet.....	41
6.5.4	β -cell-specific overexpression impairs insulin secretion in HFD-fed mice	41
6.5.5	Overexpression of pro-IL-1 β in β cells reduces islet number, size and function.....	42
6.6	Discussion:.....	43
6.7	Author Contributions.....	45
6.7.1	Conflict of interest statement	45
6.8	Figures	46
6.8.1	Figure legends	52
7	Overexpression of pro-IL-1β in Myeloid Cells Induces Insulin Resistance and Impairs Insulin Secretion in Mice.....	54
7.1	Authors	54
7.2	Abstract	54
7.3	Introduction.....	55
7.4	Methods	56
7.4.1	Mice	56
7.4.2	Glucose tolerance test.....	56
7.4.3	Insulin tolerance test.....	56
7.4.4	Diet	56
7.4.5	Hyperinsulinemic euglycaemic clamp	56
7.4.6	IL-1 β measurements in serum.....	57
7.4.7	Isolation of Kupffer cells-enriched fluorescence-activated cell sorting fractions	57
7.4.8	Peritoneal lavage and peritoneal macrophages.....	57
7.4.9	Peripheral blood mononuclear cell isolation	57
7.4.10	Islet isolation	57
7.4.11	FACS analysis of stromal vascular cell fraction from adipose tissue	57
7.4.12	Table 1 FACS staining of SVC	58
7.4.13	qPCR.....	58
7.4.14	Table 2 primers used for qPCR	58
7.4.15	Single islet glucose-stimulated insulin secretion.....	59
7.4.16	Statistics.....	59
7.5	Results	59
7.5.1	Low-level IL-1 β overexpression is detectable in unstimulated states	59
7.5.2	Overexpression of pro-IL-1 β in myeloid cells alters glucose tolerance.....	60

7.5.3	The effect of myeloid cell-specific pro-IL-1 β overexpression on GTT is partly transient 60	
7.5.4	Overexpression of pro-IL-1 β alone in myeloid cells is sufficient to induce pronounced insulin resistance	60
7.5.5	Organs relevant to insulin resistance and secretion	61
7.6	Discussion	62
7.7	Author Contributions.....	64
7.7.1	Conflict of interest statement	64
7.8	Figures	65
7.8.1	Figure legends	71
8	Overall Summary	73
9	Conclusion	74
10	Contributions to this thesis	74
11	Acknowledgments to this thesis.....	75
12	References.....	76